



Viewsonic VX Series VX2728J-2K computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : Viewsonic

Product family: VX Series

Product code: VX2728J-2K

Product name : VX2728J-2K


- 27 Inch QHD (2560x1440p) IPS gaming monitor with thin bezels
- 180Hz refresh rate and 0.5ms (MPRT) response time for ultimate gaming experience
- AMD FreeSync Premium technology enables fluid and tear-free gameplay
- Advanced ergonomics (tilt, swivel, rotate and height) for all-day comfort
- HDR10 content support for deep contrast, rich color, and vibrant details
- The VX2728J-2K supports laptops, PCs, Macs and more with HDMI, and DisplayPort inputs

27", 1440p, 180 Hz, 1 ms, IPS, 615 x 438 x 207 mm,
Viewsonic VX Series VX2728J-2K. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels,
HD type: Quad HD, Display technology: LED, Response time: 2.5 ms, Native aspect ratio: 16:9, Viewing
angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height
adjustment. Product colour: Black



| Display | | Ports & interfaces | |
|-------------------------------------|-------------------------------|-----------------------------------|-----------------|
| Display diagonal * | 68.6 cm (27") | DC-in jack | ✓ |
| Display resolution * | 2560 x 1440 pixels | Ergonomics | |
| HD type * | Quad HD | VESA mounting * | ✓ |
| Native aspect ratio * | 16:9 | Panel mounting interface | 100 x 100 mm |
| Display technology * | LED | Cable lock slot * | ✓ |
| Panel type * | IPS | Cable lock slot type | Kensington |
| Backlight type | LED | Height adjustment * | ✓ |
| Touchscreen * | ✗ | Height adjustment | 13 cm |
| Display brightness (typical) | 250 cd/m² | Pivot | ✓ |
| Response time | 2.5 ms | Pivot angle | 90 - 90° |
| Anti-glare screen | ✓ | Swivelling | ✓ |
| Screen shape * | Flat | Swivel angle range | 0 - 30° |
| Contrast ratio (typical) * | 1000:1 | Tilt adjustment | ✓ |
| Contrast ratio (dynamic) | 80000000:1 | Tilt angle range | 5 - 20° |
| Maximum refresh rate * | 165 Hz | On Screen Display (OSD) | ✓ |
| Viewing angle, horizontal | 178° | Power | |
| Viewing angle, vertical | 178° | Power consumption (typical) * | 34 W |
| Display number of colours * | 1.07 billion colours | Power consumption (standby) * | 0.3 W |
| Response time (fast) | 0.5 ms | Power consumption (max) | 38 W |
| Digital horizontal frequency | 30 - 218 kHz | Power consumption (PowerSave) | 25 W |
| Digital vertical frequency | 48 - 144 Hz | AC input voltage | 100 - 240 V |
| High Dynamic Range (HDR) supported | ✓ | AC input frequency | 50/60 Hz |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) | Power supply type | Internal |
| Haze rate | 25% | Operational conditions | |
| Surface hardness | 3H | Operating temperature (T-T) | 0 - 40 °C |
| Colour depth | 10 bit | Operating relative humidity (H-H) | 20 - 90% |
| Performance | | Packaging content | |
| NVIDIA G-SYNC * | ✗ | Stand included | ✓ |
| AMD FreeSync * | ✓ | Cables included | AC, DisplayPort |
| AMD FreeSync type | FreeSync Premium | Quick start guide | ✓ |
| Game mode | ✓ | | |

| Multimedia | | Weight & dimensions | |
|------------------------|--------|-----------------------------|--------------|
| Built-in speaker(s) * | ✓ | Width (with stand) | 615 mm |
| Built-in camera * | ✗ | Depth (with stand) | 207 mm |
| Number of speakers | 2 | Height (with stand) | 568 mm |
| RMS rated power | 4 W | Weight (with stand) | 4.7 kg |
| Design | | Width (without stand) | 615 mm |
| Market positioning * | Gaming | Depth (without stand) | 46 mm |
| Product colour * | Black | Height (without stand) | 364 mm |
| Detachable stand | ✓ | Weight (without stand) | 3.7 kg |
| Feet colour | Black | Packaging data | |
| Ports & interfaces | | Package width | 680 mm |
| Built-in USB hub * | ✗ | Package depth | 460 mm |
| HDMI * | ✓ | Package height | 173 mm |
| HDMI ports quantity | 2 | Package weight | 6.5 kg |
| HDMI version | 2.0 | Package type | Box |
| DisplayPorts quantity | 1 | Sustainability | |
| Headphone out * | ✓ | Sustainability compliance | ✓ |
| Headphone connectivity | 3.5 mm | Sustainability certificates | ICES, cTUVus |
| | | Technical details | |
| | | Warranty period | 3 year(s) |



0766907019391



766907019391

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-APR-2024. Prints or copies of Information are only valid on the printed Publication date