

Viewsonic PA503X data projector Standard throw projector 3600 ANSI lumens DLP XGA (1024x768) Grey, White

Brand : Viewsonic

Product code: PA503X

Product name : PA503X


1024 x 768, DLP, 3600 ANSI lum, 30-300", 190 W, 4:3, Mini USB B, RS-232, RCA, 3.5mm, HDMI 1.4, VGA, 2x RGB, 2 W RMS, 294x218x110 mm

Viewsonic PA503X. Projector brightness: 3600 ANSI lumens, Projection technology: DLP, Projector native resolution: XGA (1024x768). Light source type: Lamp, Service life of light source: 4500 h, Service life of light source (economic mode): 15000 h. Focus: Manual, Zoom type: Manual, Optical zoom: 1.1x. Analog signal format system: NTSC, PAL, PAL 60, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 720 x 480, 720 x 576, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA),..., Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size



Projector		Network	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Ethernet LAN *	✗
Projection distance	1.1 - 13 m	Wi-Fi *	✗
Contrast ratio (dynamic)	22000:1	Storage	
Projector brightness *	3600 ANSI lumens	Card reader integrated *	✗
Projection technology *	DLP	Features	
Projector native resolution *	XGA (1024x768)	Certification	FCC (ICES-003), cTUVus
Native aspect ratio *	4:3	Multimedia	
Number of colours	1.073 billion colours	Built-in speaker(s) *	✓
Horizontal scan range	15 - 102 kHz	RMS rated power	2 W
Vertical scan range	23 - 120 Hz	Number of built-in speakers	1
Keystone correction, vertical	-40 - 40°	Design	
Matrix size	1.4 cm (0.55")	Product type *	Standard throw projector
Matrix type	DMD	Product colour *	Grey, White
Light source		Placement	Desktop
Light source type *	Lamp	Cable lock slot	✓
Service life of light source *	4500 h	Cable lock slot type	Kensington
Service life of light source (economic mode)	15000 h	Display	
Lamp power	190 W	Built-in display *	✗
Lamps quantity	1 lamp(s)	Power	
Lens system		Power source *	AC
Focus *	Manual	Power consumption (typical) *	260 W
Zoom capability	✓	Power consumption (standby) *	0.5 W
Zoom type	Manual	AC input voltage	100 - 240 V
Optical zoom	1.1x	AC input frequency	50 - 60 Hz
Throw ratio	1.96 - 2.15:1	Operational conditions	
Video		Operating temperature (T-T)	0 - 40 °C
Analog signal format system *	NTSC, PAL, PAL 60, SECAM	Operating relative humidity (H-H)	10 - 90%
3D Ready	✓	Operating altitude	0 - 1499 m
Supported graphics resolutions	640 x 480 (VGA), 720 x 480, 720 x 576, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1360 x 768 (WXGA), 1366 x 768, 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1920 x 1200 (WUXGA)	Weight & dimensions	
		Width	294 mm
		Depth	218 mm
		Height	110 mm

Video		Weight & dimensions	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Weight *	2.2 kg
Ports & interfaces		Package width	365 mm
		Package depth	188 mm
		Package height	300 mm
		Package weight	6.24 kg
		Packaging content	
HDMI connector type	Full-size	Remote control included *	✓
HDMI version	1.4	Cables included	AC, VGA
Serial interface type *	RS-232	Quick start guide	✓
PC Audio in	✓	Logistics data	
PC Audio out	✓		
VGA (D-Sub) ports quantity *	3		
HDMI ports quantity *	1		
Composite video in *	1		
DVI port *	✗	Other features	
AC (power) in	✓		
		RS-232 ports	1



0766907905113



766907905113

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.