

## Canon i-SENSYS MF3010 Laser A4 1200 x 600 DPI 18 ppm

**Brand :** Canon

**Product family:** i-SENSYS

**Product code:** 5252B037

**Product name :** MF3010

- 3-in-1 mono laser home office printer

- A4, print, copy, scan

- USB Connectivity

600 x 400 dpi, Laser, A4, USB 2.0, 60~163g/m<sup>2</sup>, 8.2 kg, 960W

Canon i-SENSYS MF3010. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 600 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Maximum ISO A-series paper size: A4. Product colour: Black



Printing		Paper handling	
Print technology *	Laser	ISO B-series sizes (B0...B9)	B5
Printing *	Mono printing	Non-ISO print media sizes	Executive, Statement
Duplex printing *	✗	Envelopes sizes	10, B5, C5, DL
Maximum resolution *	1200 x 600 DPI	Custom media width	76 - 216 mm
Print speed (black, normal quality, A4/US Letter) *	18 ppm	Custom media length	127 - 356 mm
Warm-up time	10 s	Paper tray media weight	60 - 163 g/m <sup>2</sup>
Time to first page (black, normal)	7.8 s	Ports & interfaces	
Print margins (top, bottom, right, left)	5 mm	Standard interfaces	USB 2.0
Economical printing	✓	USB port	✓
Copying		USB 2.0 ports quantity	1
Duplex copying *	✗	Network	
Copying *	Mono copying	Wi-Fi *	✗
Maximum copy resolution *	600 x 600 DPI	Ethernet LAN *	✗
Copy speed (black, normal quality, A4)	18 cpm	Performance	
Time to first copy (black, normal)	12 s	Card reader integrated	✗
Maximum number of copies	9 copies	Internal memory *	64 MB
Copier resize	50 - 200%	Sound pressure level (printing)	65.3 dB
N-in-1 copy function (N=)	2	Sound power level (standby)	43 dB
Scanning		Design	
Duplex scanning *	✗	Product colour *	Black
Scanning *	Colour scanning	Market positioning *	Home & office
Optical scanning resolution *	600 x 600 DPI	Power	
Maximum scan resolution	9600 x 9600 DPI	Power consumption (max)	960 W
Scanner type *	Flatbed scanner	Power consumption (average operating)	450 W
Input colour depth	24 bit	Power consumption (PowerSave)	450 W
Output colour depth	24 bit	Power consumption (standby)	1.4 W
Greyscale levels	256	Energy Star Typical Electricity Consumption (TEC)	0.6 kWh/week

Scanning		System requirements	
Scan drivers	TWAIN, WIA	Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Fax			
Duplex faxing	✗		
Faxing *	✗		
Features			
Maximum duty cycle *	8000 pages per month	Mac operating systems supported	Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion
Digital sender	✗		
Number of print cartridges *	1		
Printing colours *	Black		
Page description languages	UFR II-LT		
Input & output capacity		Linux operating systems supported	✓
Total input capacity *	150 sheets		
Total output capacity *	100 sheets	Operational conditions	
		Operating relative humidity (H-H)	20 - 80%
		Operating temperature (T-T)	10 - 30 °C
Paper handling		Sustainability	
Maximum ISO A-series paper size *	A4	Sustainability certificates	ENERGY STAR
Maximum print size	216 x 356 mm	Weight & dimensions	
Paper tray media types *	Card stock, Coated paper, Envelopes, Labels, Plain paper, Recycled paper, Transparencies	Width	372 mm
ISO A-series sizes (A0...A9) *	A4, A5	Depth	276 mm
		Height	254 mm
		Weight	8.2 kg
		Packaging content	
		User guide	✓



0013803352894



013803352894

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.