



HP Z27xs G3 computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD Black

Brand : HP

Product code: 1A9M8AA

Product name : Z27xs G3

Z27xs G3 4K USB-C DreamColor Display

HP Z27xs G3 computer monitor 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD Black:

Extraordinary color accuracy and picture-perfect design.

Remove barriers between designer and design with the HP DreamColor Z27x G3 Monitor. Create jaw-dropping visuals with over a billion colors and hyper-realistic contrast in 4K HDR^[1]. Work flawlessly in your chosen medium with purpose-built, factory-calibrated color presets for Mac® and PC.

HP Z27xs G3. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Response time: 14 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDCP	✓
Display resolution *	3840 x 2160 pixels	Ergonomics	
HD type *	4K Ultra HD	VESA mounting *	✓
Native aspect ratio *	16:9	Panel mounting interface	75 x 75 mm
Panel type *	IPS	Cable lock slot *	✗
Touchscreen *	✗	Height adjustment *	✓
Display brightness (typical)	266 cd/m²	Height adjustment	15 cm
Response time	14 ms	Pivot	✓
Anti-glare screen	✓	Pivot angle	-90 - 90°
Screen shape *	Flat	Swivelling	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 3840 x 2160	Swivel angle range	-45 - 45°
		Tilt adjustment	✓
Contrast ratio (typical) *	1300:1	Tilt angle range	-5 - 20°
Maximum refresh rate *	60 Hz	Power	
Viewing angle, horizontal	178°	Power consumption (typical) *	48 W
Viewing angle, vertical	178°	Power consumption (standby) *	0.5 W
Pixel pitch	0.155 x 0.155 mm	Power consumption (max)	220 W
Horizontal scan range	30 - 135 kHz	AC input voltage	100 - 240 V
Vertical scan range	40 - 60 Hz	AC input frequency	50 - 60 Hz
Surface hardness	3H	Operational conditions	
Performance		Operating temperature (T-T)	5 - 35 °C
NVIDIA G-SYNC *	✗	Operating relative humidity (H-H)	20 - 80%
AMD FreeSync *	✗	Storage relative humidity (H-H)	5 - 95%
Flicker-free technology	✓	Packaging content	
HP segment	Business	Cables included	DisplayPort, HDMI, USB Type-C to USB Type-A, USB Type-C to USB Type-C

Multimedia		Weight & dimensions	
Built-in speaker(s) *	✗	Width (with stand)	60.8 mm
Built-in camera *	✗	Depth (with stand)	52.9 mm
Design		Height (with stand)	21.5 mm
Market positioning *	Business	Weight (with stand)	7.8 kg
Product colour *	Black	Width (without stand)	608 mm
Ports & interfaces		Depth (without stand)	4.6 mm
Built-in USB hub *	✓	Height (without stand)	35.5 mm
USB upstream port type	USB Type-C	Packaging data	
Number of USB Type-C upstream ports quantity	1	Package width	608 mm
USB Type-A downstream ports quantity	3	Package depth	215 mm
USB Type-C downstream ports quantity	1	Package height	529 mm
USB Type-C DisplayPort Alternate Mode	✓	Package weight	11.2 kg
USB Power Delivery up to	100 W	Sustainability	
DVI port	✗	Sustainable technologies and materials	Arsenic-free display glass; Low halogen; Mercury-free display backlights; TCO Certified; TCO Certified Edge
HDMI *	✓	European Product Registry for Energy Labelling (EPREL) code	380383
HDMI ports quantity	1	Logistics data	
HDMI version	2.0	Harmonized System (HS) code	85285210
DisplayPorts quantity	2	Other features	
DisplayPort version	1.4	Weight	7.8 kg
Audio input	✗	Height	355 mm
Headphone out *	✗	Width	608 mm
		Depth	46 mm



0195122235338



195122235338



0195122235345



195122235345



0195122235321



195122235321



0195122235512



195122235512



0195122235505



195122235505



0195122235499



195122235499



0195122235482



195122235482



0195122235475



195122235475



0195122235468



195122235468



0195122235451




195122235451



0195122235444



195122235444



0195122235437



195122235437



0195122235420



195122235420



0195122235413



195122235413



0195122235406



195122235406



0195122235352



195122235352



0195122235369



195122235369



0195122235376



195122235376




0195122235383



195122235383



4580511763848



0195122235390



195122235390

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.