

Samsung LH98QECELGC Digital signage flat panel 2.49 m (98") LCD Wi-Fi 450 cd/m² 4K Ultra HD Black Tizen 6.5 16/7

Brand : Samsung

Product code: LH98QECELGCXGO

Product name : LH98QECELGC



- Super-sized Screen

- Slim Design

- Quantum Processor 4K

98", 4K UHD 3840 x 2160, VA, 450 nit, 8ms, DCI 93% (Typ.), 4x HDMI, 2x USB, RS232, RJ45, WiFi, Bluetooth, VESA 600 x 400, black

Samsung LH98QECELGC. Product design: Digital signage flat panel. Display diagonal: 2.49 m (98"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 450 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Operating system installed: Tizen 6.5. Product colour: Black



Display		Design	
Panel type	VA	Stand type	Center stand
Display diagonal *	2.49 m (98")	Mounting type	Desk/Wall
Display technology *	LCD	Performance	
Display resolution *	3840 x 2160 pixels	Purpose *	Universal
Display brightness *	450 cd/m²	Operating hours (hours/days)	16/7
HD type *	4K Ultra HD	HDCP	✓
Touchscreen *	✗	HDCP version	2.2
Response time	8 ms	Power	
Contrast ratio (typical)	5000:1	Power consumption (typical) *	275 W
Dynamic contrast ratio marketing name	Mega Contrast	Power consumption (sleep)	0.5 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 / 60 Hz
Pixel pitch	0.5622 x 0.5622 mm	Computer system	
Horizontal scan range	30 - 81 kHz	Internal memory	8 GB
Vertical scan range	48 - 75 Hz	Operating system installed	Tizen 6.5
Haze rate	2%	Weight & dimensions	
Colour gamut	93%	Display width	2180.6 mm
Ports & interfaces		Display depth	48.4 mm
HDMI ports quantity *	4	Display height	1243.9 mm
HDMI version	2.0	Display weight	56.3 kg
DVI port *	✗	Packaging data	
USB port *	✓	Package width	2379 mm
USB ports quantity	2	Package depth	350 mm
Ethernet LAN *	✓	Package height	1431 mm
Ethernet LAN (RJ-45) ports	1	Package weight	87.8 kg
Wi-Fi *	✓	Packaging content	
RS-232 interface	✓	Stand included	✓
Design		Stand colour	Black
Product design *	Digital signage flat panel	Operational conditions	
Placement supported *	Indoor	Operating temperature (T-T)	0 - 40 °C
Orientation	Horizontal/Vertical	Operating relative humidity (H-H)	10 - 80%
Product colour *	Black	Technical details	
Screen shape	Flat	Sustainability compliance	✓
VESA mounting *	✓		
Panel mounting interface	600 x 400 mm		

Technical details	
Sustainability certificates	Electromagnetic Compatibility (EMC)
Other features	
Bluetooth	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-APR-2024. Prints or copies of Information are only valid on the printed Publication date