Lenovo Legion Y25-30 LED display 62.2 cm (24.5") 1920 x 1080 pixels Full HD Black

Brand : Lenovo Product code: 66F0GACBUS

Product name: Legion Y25-30

- 62.2cm (24.5") Full HD 1920 x 1080 W-LED IPS
- 4ms, 16:9, 400cd/m², 1000:1
- USB, HDMI, DisplayPort

62.2cm (24.5") Full HD 1920 x 1080 W-LED IPS, 16:9, 400cd/m², 16.7M, 4ms, $178^{\circ}/178^{\circ}$, 1000:1 Lenovo Legion Y25-30. Display diagonal: 62.2 cm (24.5"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178° , Viewing angle, vertical: 178° . Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





| Diamia | | Doubs C intenfered | |
|---------------------------------------|------------------------------|--|--------------|
| Display | | Ports & interfaces | |
| Display diagonal * | 62.2 cm (24.5") | Number of USB Type-B upstream ports quantity | 1 |
| Display resolution * | 1920 x 1080 pixels | USB Type-A downstream ports | |
| HD type * | Full HD | quantity | 4 |
| Native aspect ratio * | 16:9 | HDMI * | √ |
| Display technology * | LED | HDMI ports quantity | 2 |
| Panel type * | IPS | HDMI version | 2.0 |
| Backlight type | W-LED | DisplayPorts quantity | 1 |
| Touchscreen * | × | DisplayPort version | 1.4 |
| Display brightness (peak) | 430 cd/m² | Headphone out * | 1 |
| Display brightness (typical) | 400 cd/m² | · | <u> </u> |
| Response time | 4 ms | Ergonomics | |
| Anti-glare screen | ✓ | VESA mounting * | ✓ |
| Screen shape * | Flat | Panel mounting interface | 100 x 100 mm |
| Contrast ratio (typical) * | 1000:1 | Cable management | ✓ |
| Contrast ratio (dynamic) | 3000000:1 | Cable lock slot * | ✓ |
| Maximum refresh rate * | 280 Hz | Cable lock slot type | Kensington |
| Viewing angle, horizontal | 178° | Height adjustment * | ✓ |
| Viewing angle, vertical | 178° | Height adjustment | 13.5 cm |
| Display number of colours * | 16.7 million colours | Pivot | ✓ |
| Response time (fast) | 0.5 ms | Pivot angle | -90 - 90° |
| Pixel pitch | 0.283 x 0.28 mm | Swivelling | ✓ |
| Pixel density | 89 ppi | Swivel angle range | -45 - 45° |
| Viewable size, vertical | 55.2 cm | Tilt adjustment | ✓ |
| Viewable size diagonal | 32 cm | Tilt angle range | -5 - 22° |
| High Dynamic Range (HDR) supported | ✓ | On Screen Display (OSD) | ✓ |
| High Dynamic Range (HDR) | | Power | |
| technology | High Dynamic Range (HDR) 400 | Power consumption (typical) * | 17 W |
| Colour depth | 8 bit | Power consumption (max) | 33 W |
| RGB colour space | sRGB | Power consumption (off) | 0.3 W |
| Colour gamut | 99% | AC input voltage | 100 - 240 V |
| sRGB coverage (typical) | 99% | AC input frequency | 50 - 60 Hz |
| | | Power supply type | Internal |

| Performance | | Packaging content | |
|---|--|--------------------------|---|
| AMD FreeSync * | ✓ | Stand included | ✓ |
| AMD FreeSync type Low Blue Light technology | FreeSync Premium | Cables included | AC, DisplayPort, USB Type-A to USB Type-B |
| Game mode | √ | Quick start guide | ✓ |
| Compatible operating systems | Windows 10, Windows 11 | DisplayPort cable length | 1.8 m |
| Multimedia | | Power cable length | 1.8 m |
| Built-in speaker(s) * | √ | Weight & dimensions | |
| Number of speakers | 2 | Width (with stand) | 557.3 mm |
| RMS rated power | 6 W | Depth (with stand) | 257.3 mm |
| Design | | Height (with stand) | 493.7 mm |
| 9 | | Weight (with stand) | 5.3 kg |
| Market positioning * | Gaming | Width (without stand) | 557.3 mm |
| Product colour * | Black | Depth (without stand) | 55 mm |
| Colour name | Raven Black | Height (without stand) | 329.1 mm |
| Detachable stand | ✓ | Weight (without stand) | 3.4 kg |
| Feet colour | Black | Bezel width (side) | 2 mm |
| 0 115 | RoHS Eyesafe Display, TÜV Low | Bezel width (top) | 2 mm |
| Certification | Blue Light (Hardware solution), TÜV Rheinland Eye Comfort | Bezel width (bottom) | 1.85 cm |
| Ports & interfaces | | Packaging data | |
| Built-in USB hub * | 1 | Package width | 658 mm |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Package depth | 168 mm |
| USB upstream port type | USB Type-B | Package height | 490 mm |
| Number of upstream ports | 1 | Package weight | 8.1 kg |





196378671499

0196378671499

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.