



Canon i-SENSYS MF264dw II Laser A4 1200 x 1200 DPI 28 ppm Wi-Fi

Brand : Canon

Product family: i-SENSYS

Product code: 5938C020

Product name : MF264dw II



Canon i-SENSYS MF264dw II. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200 x 1200 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Duplex functions: Copy, Print. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Black

| Printing | | Paper handling | |
|--|-----------------------------|------------------------------------|--|
| Duplex printing mode | Auto | Maximum ISO A-series paper size * | A4 |
| Print resolution black | 600 x 600 DPI | Maximum print size | 216 x 356 mm |
| Print technology * | Laser | Paper tray media types * | Plain paper, Postcard, Recycled paper |
| Printing * | Mono printing | ISO A-series sizes (A0...A9) * | A4, A5, A6 |
| Duplex printing * | ✓ | ISO B-series sizes (B0...B9) | B5, B6 |
| Maximum resolution * | 1200 x 1200 DPI | Non-ISO print media sizes | Executive, Legal, Letter, Statement |
| Print speed (black, normal quality, A4/US Letter) * | 28 ppm | Envelopes sizes | C5, Com-10, DL, Monarch |
| Print speed (ISO/IEC 24734) mono | 28 ipm | Custom media width | 76.2 - 127 mm |
| Duplex print speed (black, normal quality, A4/US Letter) | 17.8 ppm | Custom media length | 215.9 - 355.6 mm |
| Warm-up time | 15 s | Paper tray media weight | 60 - 163 g/m ² |
| Time to first page (black, normal) | 5.2 s | Multi-Purpose Tray media weight | 60 - 163 g/m ² |
| Copying | | Ports & interfaces | |
| Duplex copying * | ✓ | Direct printing * | ✗ |
| Duplex copying mode | Auto | USB port | ✓ |
| Copying * | Mono copying | USB connector | USB Type-A |
| Maximum copy resolution * | 600 x 600 DPI | USB 2.0 ports quantity | 1 |
| Copy speed (black, normal quality, A4) | 28 cpm | Network | |
| Time to first copy (black, normal) | 8.2 s | Wi-Fi * | ✓ |
| Maximum number of copies | 999 copies | Ethernet LAN * | ✓ |
| Copier resize | 25 - 400% | Cabling technology | 10/100Base-T(X) |
| N-in-1 copy function | ✓ | Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| N-in-1 copy function (N=) | 2, 4 | Security algorithms | 64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-EAP, WPA2-PSK, WPA2-TKIP |
| Scanning | | Supported network protocols (IPv4) | WSD-Prin, WSD-Scan, Auto IP, SNMPv3 |
| Scanning * | Colour scanning | Supported network protocols (IPv6) | WSD-Prin, WSD-Scan, Auto IP, SNMPv3 |
| Optical scanning resolution * | 600 x 600 DPI | Mobile printing technologies | Apple AirPrint, Canon PRINT Business, Google Cloud Print, Mopria Print Service |
| Scanner type * | Flatbed & ADF scanner | Performance | |
| Scan to | Cloud, E-mail, Fax, PC, USB | Internal memory * | 256 MB |
| Scan speed (colour) | 15 ppm | Built-in processor | ✓ |
| Scan speed (black) | 20 ppm | Processor frequency | 1200 MHz |
| Image formats supported | JPEG, PNG, TIFF | Sound pressure level (printing) | 51 dB |
| Document formats supported | PDF | Sound power level (printing) | 70.7 dB |
| Input colour depth | 24 bit | Design | |
| Output colour depth | 24 bit | Product colour * | Black |
| Greyscale levels | 256 | Market positioning * | Business |
| Scan drivers | ICA, TWAIN, WIA | | |
| Fax | | | |
| Duplex faxing | ✓ | | |
| Faxing * | ✗ | | |

| Fax | | Design | |
|---|----------------------------|---|---|
| Fax resolution (black) | 200 x 200 DPI | Built-in display * | ✓ |
| Modem speed | 33.6 Kbit/s | Display | LCD |
| Fax memory | 256 pages | Control type | Buttons, Touch |
| Speed dialling | ✓ | Power | |
| Features | | Power consumption (max) | 1240 W |
| Recommended duty cycle | 250 - 2500 pages per month | Power consumption (printing) | 500 W |
| Maximum duty cycle * | 30000 pages per month | Power consumption (standby) | 4.7 W |
| Duplex functions * | Copy, Print | Power consumption (off) | 0.7 W |
| Number of print cartridges * | 1 | Energy Star Typical Electricity Consumption (TEC) | 0.24 kWh/week |
| Printing colours * | Black | AC input voltage | 220 - 240 V |
| Page description languages | PCL 5e, PCL 6, UFRII-LT | AC input frequency | 50/60 Hz |
| Printer fonts | PCL | System requirements | |
| All-In-One-multitasking | ✓ | Windows operating systems supported | Windows 10, Windows 11, Windows 8.1 |
| Input & output capacity | | Mac operating systems supported | Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura |
| Total number of input trays * | 1 | | |
| Total input capacity * | 250 sheets | Linux operating systems supported | ✓ |
| Total output capacity * | 50 sheets | | |
| Multi-Purpose tray | ✓ | Server operating systems supported | Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022 |
| Multi-Purpose tray input capacity | 1 sheets | | |
| Auto document feeder (ADF) | ✓ | Operational conditions | |
| Auto document feeder (ADF) input capacity | 35 sheets | Operating relative humidity (H-H) | 20 - 80% |
| Maximum number of input trays | 3 | Operating temperature (T-T) | 10 - 30 °C |
| Maximum input capacity | 300 sheets | Weight & dimensions | |
| | | Width | 390 mm |
| | | Depth | 405 mm |
| | | Height | 375 mm |
| | | Weight | 12.9 kg |
| | | Packaging content | |
| | | Cartridge(s) included | ✓ |
| | | Included cartridge capacity (black) | 4100 pages |



0013803357301



013803357301

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.