

3ft (1m) Mini DisplayPort Cable - 4K x 2K Ultra HD Video - Mini DisplayPort 1.2 Cable - Mini DP to Mini DP Cable for Monitor - mDP Cord works w/ Thunderbolt 2 Ports - White

Product ID: MDPMM1MW



The MDPMM1MW 1m White Mini DisplayPort 1.2 cable features 2 Mini DP male connectors, and offers a dependable solution for connecting any Mini DisplayPort-enabled laptop (including Mac family of products) to a Mini DisplayPort-equipped monitor.

The mDP cable supports high resolutions of up to 4k x 2k (3840 x 2160) @ 60Hz with a maximum HBR2 bandwidth of 21.6 Gbps. The cable also supports Multi-Stream (MST) for daisy chaining multiple monitors and provides optional audio support.

The MDPMM1MW is backed by StarTech.com's Lifetime Warranty, for guaranteed reliability and ensures that digitally protected content is displayed properly, with both HDCP and DPCP capability.

Please note: Newer laptop and desktop computers (e.g. Apple) come equipped with Thunderbolt ports only. Our Mini DisplayPort Cables can be connected to the Thunderbolt ports, enabling you to connect your Mini DP compatible displays.

Certifications, Reports and Compatibility

Applications

• Connecting your Mini DisplayPort products to a Mini DisplayPort compatible display

Features

• MINI DISPLAYPORT 1.2 CABLE: This 3.3 ft (1m) Mini DisplayPort v1.2 cable supports 4K x 2K (3840x2400p 60Hz), 21.6 Gbps bandwidth, HBR2, 8Ch Audio, Multi-Stream Transport (MST), GTC for precise audio channel timing & 3D Stereo (2560x1600p 120Hz)



- RELIABLE DESIGN: Durable ABS connectors with flexible PVC strain relief and jacket prevents fraying or damage due to bending or rough usage; Metal connector sub-structure provides EMI shielding; Mini DisplayPort cable works with Thunderbolt 2 ports
- QUALITY CONSTRUCTION: 30AWG wire with gold-plated connectors for improved signal integrity & reliability; Superior EMI shielding with double sided copper foil provides higher quality video and audio; mDP cable is backwards compatible with DP 1.1
- APPLICATIONS: Ideal for home/office/boardroom/classroom works w/laptop (with TB2/Mini-DP port)/professional workstations with FirePro W9100/8100, NVS 810/510 graphic card; UHD/4K monitor/projector/display; Apple MacBook Pro/Air, Microsoft Surface Pro 1-6
- SPECS: 3.3 feet (1 meter) White Mini DisplayPort Cable DisplayPort v1.2 Mini-DP Male to Mini-DP Male Cord 30 AWG PVC cable jacket, ABS connector shell Shield: Al-Mylar foil with Braid Protocols: HBR 2, MST, GTC Lifetime Warranty

Hardware		
	Warranty	Lifetime
	Number of Conductors	19
	Connector Plating	Gold
	Cable Jacket Material	PVC - Polyvinyl Chloride
	Cable Shield Material	Aluminum-Mylar Foil with Drain
	Fire Rating	CMG Rated (General Purpose)
Performance		
	Maximum Digital Resolutions	4k x 2k (3840 x 2160) @ 60Hz
Connector(s)		
. ,	Connector A	Mini-DisplayPort (20 pin)
	Connector B	Mini-DisplayPort (20 pin)
Physical Characteristics		
Ondi doteriotico	Color	White
	Wire Gauge	32 AWG
	Cable Length	39.4 in [100 cm]
	Product Length	39.4 in [100 cm]



	Weight of Product	1.5 oz [43 g]
Packaging Information		
	Package Quantity	1
	Package Length	7.9 in [20 cm]
	Package Width	8.7 in [22 cm]
	Package Height	0.4 in [10 mm]
	Shipping (Package) Weight	1.5 oz [43 g]
What's in the Box	Included in Package	1 m White Mini DisplayPort 1.2 Cable - M/M

^{*}Product appearance and specifications are subject to change without notice.