

## GIGABYTE A620M S2H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7200MHz DDR5 (OC), 1xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 1

**Brand :** GIGABYTE

**Product code:** A620M S2H

**Product name :** A620M S2H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7200MHz DDR5 (OC), 1xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 1



A620M S2H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7200MHz DDR5 (OC), 1xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 1

[GIGABYTE A620M S2H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7200MHz DDR5 \(OC\), 1xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 1:](#)

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge



<b>Processor</b>		<b>Rear panel I/O ports</b>	
Processor manufacturer *	AMD	HDMI ports quantity *	1
Processor socket *	Socket AM5	HDMI version	2.1
Compatible processor series *	AMD Ryzen 7000 Series	DisplayPorts quantity	1
Supported processor sockets	Socket AM5	DisplayPort version	1.4
Maximum internal memory supported by processor	96 GB	Headphone outputs	3
<b>Memory</b>		Microphone in	✓
Supported memory types *	DDR5-SDRAM	USB connector type	USB Type-A, USB Type-C
Number of memory slots *	2	<b>Network</b>	
Memory slots type	DIMM	Ethernet LAN	✓
Memory channels	Dual-channel	Ethernet interface type	Gigabit Ethernet
ECC compatibility	Non-ECC	Wi-Fi *	✗
Supported memory clock speeds	4400,4800,5200,5600,6000,6200,6400,6600,6800,7200 MHz	<b>Features</b>	
Supported memory clock speed (max)	7200 MHz	Motherboard chipset *	AMD A620
Maximum internal memory *	96 GB	Audio output channels *	7.1 channels
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB	Product colour	Brown
Unbuffered memory	✓	PC health monitoring	Fan, Temperature, Voltage, Water cooling
<b>Storage controllers</b>		Component for *	PC
Supported storage drive types	HDD & SSD	Motherboard form factor *	micro ATX
Supported storage drive interfaces *	M.2, SATA III	Motherboard chipset family *	AMD
Number of HDDs supported	4	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Number of storage drives supported	5	<b>Expansion slots</b>	
RAID support	✓	PCI Express x1 slots	1
RAID levels	0, 1, 10	PCI Express x16 slots	1
<b>Graphics</b>		Number of M.2 (M) slots	1
Parallel processing technology support *	Not supported		
Maximum resolution	4096 x 2160 pixels		


<b>Graphics</b>		<b>BIOS</b>	
HDCP	✓	BIOS type *	UEFI AMI
DirectX version	12.0	BIOS memory size	256 Mbit
<b>Internal I/O</b>		ACPI version	5.0
USB 2.0 connectors *	2	Clear CMOS jumper	✓
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Desktop Management Interface (DMI) version	2.7
Number of SATA III connectors *	4	System Management BIOS (SMBIOS) version	2.7
Total number of SATA connectors	4	<b>Logistics data</b>	
Front panel audio connector	✓	Country of origin	China
Front panel connector	✓	Products per shipping (inner) case	1 pc(s)
ATX Power connector (24-pin)	✓	<b>Battery</b>	
CPU fan connector	✓	Battery weight	3 g
EPS power connector (8-pin)	✓	Lithium weight per battery	0.07 g
TPM connector	✓	Number of battery cells	1
12V power connector	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
RGB LED pin header	✓	Battery type	CR2032
<b>Rear panel I/O ports</b>		<b>Packaging data</b>	
USB 2.0 ports quantity *	4	Package width	265 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Package depth	265 mm
Ethernet LAN (RJ-45) ports *	1	Package height	54 mm
PS/2 ports quantity	1	Package weight	907 g
VGA (D-Sub) ports quantity *	1	<b>Weight &amp; dimensions</b>	
		Width	230 mm
		Depth	225 mm
		Height	35 mm
		<b>Packaging content</b>	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security LAN bandwidth management software
		<b>Technical details</b>	
		Warranty period	3 year(s)



4719331855208



0889523038031



889523038031

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.