## StarTech.com Lightning Car Charger with Coiled Cable, 1m Coiled Lightning Cable, 12W, White, 2 Port USB Car Charger Adapter for Phones and Tablets, Dual USB In Car iPhone Charger

Brand: StarTech.com Product code: USBLT2PCARW2

**Product name:** Lightning Car Charger with Coiled Cable, 1m Coiled Lightning Cable, 12W, White, 2 Port USB Car Charger Adapter for Phones and Tablets, Dual USB In Car iPhone Charger


StarTech.com Lightning Car Charger with Coiled Cable, 1m Coiled Lightning Cable, 12W, White, 2 Port USB Car Charger Adapter for Phones and Tablets, Dual Device In Car iPhone Charger (USBLT2PCARW2) StarTech.com Lightning Car Charger with Coiled Cable, 1m Coiled Lightning Cable, 12W, White, 2 Port USB Car Charger Adapter for Phones and Tablets, Dual USB In Car iPhone Charger. Charger type: Auto, Power source type: Cigar lighter, Charger compatibility: Smartphone. Input voltage: 12 - 24 V, Maximum

output voltage: 5 V. USB 2.0 ports quantity: 1. Cable length: 1 m, Product colour: White





Performance		Packaging data	
Charger compatibility * Power source type * USB 2.0 ports quantity Lightning connector	Smartphone Cigar lighter 1 ✓	Package width Package depth Package height Package weight	110 mm 130 mm 50 mm 7.2 g
Charger type *	Auto	Operational conditions	
Cable shielding	Aluminum mylar foil	Operating temperature (T-T)	0 - 40 °C
Design		Storage temperature (T-T)	-25 - 70 °C
Product colour *	White	Operating relative humidity (H-H)	8 - 90%
Cable length	1 m	Certificates	
Power		Compliance certificates	CE
Input voltage	12 - 24 V	Sustainability	
Input current Maximum power	3 A 12 W	Sustainability compliance	✓
Maximum output voltage	5 V	Logistics data	
Port 1 output current	2.1 A	Master (outer) case width	405 mm
Port 2 output current	2.1 A	Master (outer) case length	435 mm
Output current	4200 mA	Master (outer) case height	355 mm
Weight & dimensions		Products per master (outer) case	60 pc(s)
Width	28 mm	Other features	
Depth	471 mm	Cable jacket material	Polyvinyl chloride (PVC)
Height	36 mm	Connector contacts plating	Nickel
Weight	6 g		





065030883757

0065030883757

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.