



Viewsonic VG Series VG2755 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LED Black

Brand : Viewsonic

Product family: VG Series

Product code: VG2755

Product name : VG2755




- USB Type-C
- Full HD 1080p resolution
- Frameless bezel
- SuperClear® IPS technology
- VGA, HDMI and DisplayPort inputs

27" IPS LED, FHD, 60Hz, 16:9, 250 cd/m², 1000:1, 16.7M, 5 ms, 178/178, 2W x2, Display Port, HDMI, USB 3.1, 100-240 VAC, 50/60 Hz, 5.1 kg

Viewsonic VG Series VG2755. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Headphone out *	✗
Display resolution *	1920 x 1080 pixels	HDCP	✓
HD type *	Full HD	AC (power) in	✓
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LED	VESA mounting *	✓
Panel type *	AH-IPS	Panel mounting interface	100 x 100 mm
Backlight type	W-LED	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	250 cd/m ²	Height adjustment *	✓
Response time *	5 ms	Adjustable height (max)	13 cm
Anti-glare screen	✓	Pivot	✓
Screen shape *	Flat	Pivot angle	0 - 180°
Supported graphics resolutions	720 x 400, 800 x 600 (SVGA), 854 x 480 (WVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Swivelling	✓
		Swivel angle range	0 - 120°
		Tilt adjustment	✓
		Tilt angle range	-5 - 40°
Contrast ratio (typical) *	1000:1	On Screen Display (OSD)	✓
Contrast ratio (dynamic)	50000000:1	Number of OSD languages	14
Maximum refresh rate *	60 Hz	Plug and Play	✓
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	D
Display number of colours *	16.78 million colours	Energy consumption (SDR) per 1000 hours *	16 kWh
Pixel pitch	0.311 x 0.311 mm	Power consumption (typical) *	19.1 W
Horizontal scan range	15 - 82 kHz	Power consumption (standby) *	0.3 W
Vertical scan range	24 - 75 Hz	Power consumption (off)	0.3 W
Viewable size, horizontal	59.8 cm	Power consumption (PowerSave)	13 W
Viewable size, vertical	33.6 cm		
Display diagonal (metric)	68.58 cm		
Colour depth	6 bit		

Display		Power	
NTSC coverage (typical)	72%	AC input voltage	100 - 240 V
Performance		AC input frequency	50 - 60 Hz
NVIDIA G-SYNC *	✗	Operational conditions	
AMD FreeSync *	✗	Operating temperature (T-T)	0 - 40 °C
Flicker-free technology	✓	Operating relative humidity (H-H)	20 - 90%
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	612 mm
Number of speakers	2	Depth (with stand)	202 mm
RMS rated power	4 W	Height (with stand)	533 mm
Built-in speaker(s) *	✓	Weight (with stand)	7.5 kg
Built-in camera *	✗	Width (without stand)	612 mm
Design		Depth (without stand)	52 mm
Market positioning *	Graphics design	Height (without stand)	362 mm
Product colour *	Black	Weight (without stand)	5.1 kg
Frameless design	✓	Packaging data	
Front bezel colour	Black	Package width	692 mm
Detachable stand	✓	Package depth	430 mm
Feet colour	Black	Package height	218 mm
Ports & interfaces		Package weight	10.7 kg
Built-in USB hub *	✓	Package type	Box
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging content	
USB upstream port type	USB Type-B, USB Type-C	Stand included	✓
Number of USB Type-B upstream ports quantity	1	Cables included	AC, DisplayPort, USB
USB Type-A downstream ports quantity	3	Quick start guide	✓
USB Type-C downstream ports quantity	1	Sustainability	
VGA (D-Sub) ports quantity	1	Sustainability certificates	ENERGY STAR
DVI port	✗	Other features	
HDMI *	✓	Country of origin	China
HDMI ports quantity	1	Compliance certificates	RoHS
HDMI version	1.4	Certification	cTUVus, FCC-B, ICES003, MX-CoC, Mexico Energy
DisplayPorts quantity	1	Logistics data	
DisplayPort version	1.2	Harmonized System (HS) code	85285210
Audio input	✗		



0766907989410



766907989410

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.