DELL Pro E2026H computer monitor 49.5 cm (19.5") 1600 x 900 pixels HD+ LCD Black



Brand : DELL **Product family:** Pro **Product code:** DELL-E2026H

Product name : E2026H

- 19.5" LCD TN
- HD+, 16:9, 1600 x 900
- 100Hz, 5ms, 250cd/m²

19.5", 1600 x 900 Edge LED TN, 100Hz, 16:9, 250cd/m², 5ms, 170°/160°

DELL Pro E2026H computer monitor 49.5 cm (19.5") 1600 x 900 pixels HD+ LCD Black:

Designed for everyday productivity, this 19.5-inch monitor features up to 100Hz refresh rate and eye comfort solutions that reduce blue light emissions.
DELL Pro E2026H. Display diagonal: 49.5 cm (19.5"), Display resolution: 1600 x 900 pixels, HD type: HD+, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. VESA mounting. Product colour: Black

Display	
Display diagonal *	49.5 cm (19.5")
Display resolution *	1600 x 900 pixels
HD type *	HD+
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	TN
LED backlight	✔
Backlight type	Edge LED
Touchscreen *	✘
Display brightness (typical)	250 cd/m²
Response time *	5 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	720 x 480, 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900
Supported video modes	480p, 576p, 720p
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	170°
Viewing angle, vertical	160°
Display number of colours *	16.7 million colours
Pixel pitch	0.2706 x 0.2645 mm
Pixel density	94 ppi
Horizontal scan range	30 - 82 kHz
Vertical scan range	50 - 76 Hz
Viewable size, horizontal	43.3 cm
Viewable size, vertical	23.8 cm
Viewable size diagonal	49.5 cm

Power	
Energy efficiency class (SDR) *	C
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	9 kWh
Power consumption (typical) *	9.2 W
Power consumption (standby) *	0.3 W
Power consumption (max)	18 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	0.7 A
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m

Weight & dimensions	
Width (with stand)	464 mm
Depth (with stand)	171 mm
Height (with stand)	366.5 mm
Weight (with stand)	2.51 kg
Width (without stand)	464 mm
Depth (without stand)	47.1 mm
Height (without stand)	277.1 mm
Weight (without stand)	2.2 kg
Bezel width (side)	1.55 cm
Bezel width (top)	1.69 cm

Display	
Digital horizontal frequency	30 - 95 kHz
Digital vertical frequency	50 - 100 Hz
Surface hardness	3H
NTSC coverage (typical)	72%
Performance	
Flicker-free technology	✔
Multimedia	
Built-in speaker(s) *	✘
Built-in camera *	✘
Design	
Product colour *	Black
Ports & interfaces	
Built-in USB hub *	✘
VGA (D-Sub) ports quantity	1
HDMI *	✔
HDMI ports quantity	1
DisplayPorts quantity	1
DisplayPort out version	1.2
Headphone out *	✘
HDCP	✔
HDCP version	1.4
Ergonomics	
VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✘
Tilt adjustment	✔
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✔

Weight & dimensions	
Bezel width (bottom)	1.71 cm
Packaging data	
Package weight	4.09 kg
Packaging content	
Stand included	✔
Cables included	DisplayPort, Power
DisplayPort cable length	1.8 m
Sustainability	
Sustainability certificates	TCO, ENERGY STAR
Doesn't contain	Arsenic, Mercury, PVC/BFR
Carbon footprint	
Total carbon footprint (kg of CO2e)	107
Carbon emissions, manufacturing (kg of CO2e)	51.15
Carbon emissions, logistics (kg of CO2e)	7.7
Carbon emissions, energy usage (kg of CO2e)	46.01
Carbon emissions, end-of-life (kg of CO2e)	2.14
PAIA version	GaBi version 1, 2025
Other features	
Compliance certificates	RoHS



0884116691914



884116691914

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 29-OCT-2026. Prints or copies of Information are only valid on the printed Publication date