

## Viewsonic CDE6520-W Digital signage flat panel 165.1 cm (65") IPS 450 cd/m<sup>2</sup> 4K Ultra HD Black Built-in processor Android 8.0 24/7



**Brand :** Viewsonic

**Product code:** CDE6520W

**Product name :** CDE6520-W

65", 3840x2160, IPS, 8 ms, HDMI, DP, VGA, RS-232, RJ-45, USB, 3.5mm, RMS 2x 16W, 22.95 kg  
Viewsonic CDE6520-W. Product design: Digital signage flat panel. Display diagonal: 165.1 cm (65"),  
Display technology: IPS, Display resolution: 3840 x 2160 pixels, Display brightness: 450 cd/m<sup>2</sup>, HD type:  
4K Ultra HD. Operating hours (hours/days): 24/7. Operating system installed: Android 8.0. Product  
colour: Black

Display		Power	
LED backlighting type	Direct-LED	Energy efficiency class (SDR)	G
Display diagonal *	165.1 cm (65")	Energy consumption (SDR) per 1000 hours	184 kWh
Display technology *	IPS	AC input voltage	100-240 V
Display resolution *	3840 x 2160 pixels	AC input frequency	50-60 Hz
Display brightness *	450 cd/m <sup>2</sup>	Energy efficiency scale	A to G
HD type *	4K Ultra HD	<b>Computer system</b>	
Touchscreen *	✗	Computer system *	✓
Response time	8 ms	Built-in processor *	✓
Contrast ratio (typical)	1200:1	Processor frequency	1.1 GHz
Contrast ratio (dynamic)	5000:1	Processor cores	2
Viewing angle, horizontal	178°	Internal memory	3 GB
Viewing angle, vertical	178°	On-board graphics card model	ARM Mali-G51 MP2
Display number of colours	1.07 billion colours	Internal storage capacity	16 GB
Pixel pitch	0.372 x 0.372 mm	Operating system installed	Android 8.0
Display diagonal (metric)	165 cm	Video formats supported	3GPP, ASF, AVI, AVS, DIVX, FLV, H.263, H.264, MP4, MPEG, MPEG1, MPEG2, RM, VP9, WMV, XVID
Panel life	30000 h	Audio formats supported	AAC, ASF, FLAC, MP3, OPUS, WAV
Haze rate	25%	Image formats supported	BMP, JPEG, PNG
Surface hardness	3H	<b>Weight &amp; dimensions</b>	
<b>Ports &amp; interfaces</b>		Width	1450.6 mm
HDMI ports quantity *	3	Depth	78.5 mm
HDMI version	2.0	Height	828.1 mm
HDMI input ports quantity	2	Weight	22.9 kg
HDMI output ports quantity	1	<b>Packaging data</b>	
DVI port *	✗	Package width	1605 mm
VGA (D-Sub) input ports	1	Package depth	220 mm
DisplayPorts quantity *	1		
USB port *	✓		
USB ports quantity	3		

<b>Ports &amp; interfaces</b>		<b>Packaging data</b>	
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Package height	965 mm
Ethernet LAN (RJ-45) ports	1	Package weight	33.6 kg
OPS module slot	✓	<b>Packaging content</b>	
<b>Audio</b>		Remote control included	✓
Built-in speaker(s) *	✓	Batteries included	✓
Number of built-in speakers	2	Cables included	AC, HDMI
RMS rated power	32 W	<b>Operational conditions</b>	
<b>Design</b>		Operating temperature (T-T)	0 - 40 °C
Product design *	Digital signage flat panel	Operating relative humidity (H-H)	10 - 80%
Placement supported *	Indoor	Storage temperature (T-T)	-10 - 60 °C
Orientation	Horizontal	Storage relative humidity (H-H)	10 - 80%
Product colour *	Black	<b>Certificates</b>	
VESA mounting *	✓	Certification	cTUVus, FCC, Energy Star, RoHS, Mexico CoC, Mexico Energy
Panel mounting interface	400 x 200 mm	<b>Logistics data</b>	
Anti-glare screen	✓	Harmonized System (HS) code	85285210
<b>Performance</b>		<b>Network</b>	
Purpose *	Universal	Ethernet LAN *	✓
Operating hours (hours/days)	24/7	Wi-Fi *	✗
HDCP	✓	<b>Technical details</b>	
HDCP version	2.2	Sustainability certificates	ENERGY STAR
<b>Power</b>		Compliance certificates	RoHS
Power consumption (typical) *	220 W		
Power consumption (standby) *	0.5 W		

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.