

DELL Pro Max FCS1250 Intel Core Ultra 7 265 16 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX A1000 Windows 11 Pro Slim PC PC Black

Brand : DELL Product family: Pro Max Product code: XD7H4

Product name: FCS1250

- Windows 11 Pro 64-bit
- Intel Core Ultra 7 265 (30MB Cache)
- NVIDIA RTX A1000 (8GB GDDR6)
- 16GB DDR5-SDRAM & 512GB SSD

Intel Core Ultra 7 265 (30MB Cache), 16GB DDR5-SDRAM, 512GB SSD, Intel Graphics, NVIDIA RTX A1000 (8GB GDDR6), LAN, Windows 11 Pro 64-bit

DELL Pro Max FCS1250 Intel Core Ultra 7 265 16 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX A1000 Windows 11 Pro Slim PC PC Black:

Versatile desktop that delivers powerful and reliable performance in a small size.

DELL Pro Max FCS1250. Processor family: Intel Core Ultra 7, Processor model: 265. Internal memory: 16 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 512 GB, Storage media: SSD. On-board graphics card model: Intel Graphics, Discrete graphics card model: NVIDIA RTX A1000. Operating system installed: Windows 11 Pro, Operating system architecture: 64-bit. Power supply: 360 W. Chassis type: Slim PC. Product type: PC. Weight: 6.11 kg. Product colour: Black





Processor		Network	
Processor manufacturer *	Intel	Wi-Fi *	×
Processor family * Processor generation Processor model *	Intel Core Ultra 7 Intel Core Ultra (Series 2) 265	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Processor cores	20	Ports & interfaces	
Processor threads	20	USB 2.0 ports quantity *	4
Processor boost frequency	5.3 GHz	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	3
Performance cores	8	ports quantity *	3
Efficient cores	12	USB 3.2 Gen 2 (3.1 Gen 2) Type-A	1
Performance-core Max Turbo Frequency	5.2 GHz	ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C	1
Efficient-core Max Turbo Frequency Performance-core base frequency	4.6 GHz 2.4 GHz	ports quantity * USB 3.2 Gen 2x2 Type-C ports quantity	1
Efficient-core base frequency	1.8 GHz	DisplayPorts quantity	3
Processor cache	30 MB	DisplayPort version	1.4a
Processor cache type	Smart Cache	Ethernet LAN (RJ-45) ports	1
Number of processors installed	1	Combo headphone/mic port	✓
Processor base power	65 W	DC-in jack	✓
Maximum turbo power	182 W	Number of rear USB ports	6
Neural processor unit (NPU)		Number of front USB ports	4
Neural processor unit (NPU)	Intel Al Boost	Number of SATA III connectors	2
Sparsity support	✓	Expansion slots	
Windows Studio effects support	✓	PCI Express x1 (Gen 3.x) slots	1
Al software frameworks supported by NPU	DirectML, OpenVINO, Windows ML, ONNX RT, WebNN	PCI Express x4 (Gen 3.x) slots	1
Total processor performance up to	33 TOPs	PCI Express x16 (Gen 4.x) slots	1
NPU performance up to	13 TOPs	Design	
GPU performance up to	8 TOPs	Chassis type * Placement supported	Slim PC Horizontal/Vertical

Mamani		Danim	
Memory		Design	
Internal memory * Maximum internal memory * Internal memory type Memory slots	16 GB 128 GB DDR5-SDRAM 4x DIMM	Cable lock slot Cable lock slot type Product colour *	KensingtonBlack
		Performance	
Non-ECC Storage	✓	Market positioning Audio chip	Business Realtek ALC3204
Total storage capacity * Storage media * Optical drive type * Number of storage drives installed Total SSDs capacity Number of SSDs installed SSD capacity SSD memory type SSD interface NVMe	512 GB SSD X 1 512 GB 1 512 GB TLC PCI Express	Audio system Trusted Platform Module (TPM) Product type * Trusted Platform Module (TPM) version	High Definition Audio ✓ PC 2.0
		Software	
		Operating system architecture Operating system installed *	64-bit Windows 11 Pro
		Power	
SSD form factor M.2 SSD size	M.2 2280 (22 x 80 mm)	Power supply * Power supply input voltage Power supply input frequency	360 W 90 - 264 V 47/63 Hz
Graphics		Operational conditions	
Discrete GPU manufacturer On-board graphics card * Discrete graphics card model * Discrete graphics card memory Biscrete graphics memory type Number of discrete graphics cards On-board GPU manufacturer On-board graphics card family	NVIDIA NVIDIA RTX A1000 R GB GDDR6 I Intel Intel Graphics Intel Graphics	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude Operating vibration Non-operating vibration Operating shock Non-operating shock Sustainability	0 - 35 °C -40 - 65 °C 10 - 90% 0 - 95% -15.2 - 3048 m -15.2 - 10668 m 0.66 G 1.3 G 110 G 160 G
Network		Sustainability certificates Doesn't contain	ENERGY STAR, EPEAT Climate + PVC/BFR
Ethernet LAN * Ethernet LAN data rates Cabling technology LAN controller	10,100,1000 Mbit/s 10/100/1000Base-T(X) Intel® I219-LM	Weight & dimensions Width * Depth * Height * Weight * Packaging content Cables included Display Display included *	95 mm 293 mm 303.5 mm 6.11 kg





884116490739

0884116490739

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.