Epson PowerLite L210W 4500 ANSI lumens 3LCD WXGA (1280x800) White

Product code: V11HA70020

EPSON ...

Product name : L210W

Brand: Epson

Epson PowerLite L210W. Projector brightness: 4500 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WXGA (1280x800). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 18.2 - 29.1 mm, Aperture range (F-F): 1.51 - 1.77. Serial interface type: RS-232C. Noise level: 37 dB, Noise level (economic mode): 27 dB

Product family: PowerLite



Projector		Ports & interfaces	
Smart projector *	X	HDMI ports quantity *	2
Screen size compatibility * Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) *	762 - 7620 mm (30 - 300") 4500 ANSI lumens 3LCD WXGA (1280x800) 2500000:1	DVI port *	×
		Network	
		Smart TV *	X
		Ethernet LAN *	✓
Native aspect ratio *	16:10 -30 - 30°	Wi-Fi *	×
Keystone correction, horizontal Keystone correction, vertical	-30 - 30°	Storage	
Matrix size	1.5 cm (0.59")	Card reader integrated *	×
Light source		Features	
Light source type *	Laser	Interactive *	×
Service life of light source *	20000 h	Noise level (economic mode)	27 dB
Service life of light source	30000 h	Noise level *	37 dB
(economic mode)	3000011	Multimedia	
Lens system		Built-in speaker(s) *	✓
Focus *	Manual	RMS rated power	16 W
Focal length range	18.2 - 29.1 mm	Number of built-in speakers	1
Aperture range (F-F) Zoom capability	1.51 - 1.77	Design	
Zoom type	Manual	Market positioning *	Business
Zoom ratio	1.16:1	Product colour *	White
Throw ratio	1.41 - 2.26	Display	
Video		Built-in display *	×
Analog signal format system *	Not supported	Power	
Full HD *	✓	Power source *	AC
3D *	×	Power consumption (typical) *	260 W
Ports & interfaces		AC input voltage	100 - 240 V
USB 2.0 ports quantity	2	AC input frequency	50/60 Hz
USB 2.0 Type-A ports quantity	1	Operational conditions	
USB 2.0 Type-B ports quantity	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232C	Weight & dimensions	
VGA (D-Sub) ports quantity *	2	Width	325 mm

Weight & dimensions Depth 299 mm Height 90 mm Weight * 4.2 kg Packaging content Remote control included * ✓ Batteries included ✓

AC, HDMI

Cables included





010343975439

0010343975439

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.