Kodak Alaris S5160 ADF scanner 600 x 600 DPI A3 Grey, White



Brand : Kodak Alaris

Product code: 8016685

Product name : S5160

- Ultra-rugged Design
- Built for speed
- Metal Detection
- Versatile

160 ppm/320 ipm, 305 mm x 10.16 m max, 600 DPI, 10/100/1000 LAN, USB 3.2 Gen 1x1, 60 kg
Kodak Alaris S5160. Maximum scan size: 305 x 10160 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 48 bit. Scanner type: ADF scanner, Product colour: Grey, White, Display: LCD. Sensor type: CCD, Light source: White LED (2x), Scan file formats: BMP, JPEG, PDF, PNG, XLSX, DOCX, RTF, TIFF, PPTX. Auto document feeder (ADF) input capacity: 750 sheets. Maximum ISO A-series paper size: A3

Scanning	
Maximum scan size *	305 x 10160 mm
Optical scanning resolution *	600 x 600 DPI
Colour scanning	✔
Input colour depth	48 bit
Output colour depth	24 bit
Output greyscale depth	8 bit
Greyscale levels	256
ADF scan speed (b/w, A3)	160 ppm

Design	
Scanner type *	ADF scanner
Product colour *	Grey, White
Display	LCD
Display diagonal	19.1 cm (7.5")
Touchscreen	✔
Colour display	✔
Control type	Buttons, Touch
Built-in display *	✔

Performance	
Sensor type *	CCD
Light source	White LED (2x)
Scan file formats	BMP, JPEG, PDF, PNG, XLSX, DOCX, RTF, TIFF, PPTX
Scan drivers	TWAIN, WIA, Kofax VRS, ISIS
Barcode reader	✔
Scanning noise level	62 dB
Scanner smart software features	Correction & auto-cropping

Input capacity	
Auto document feeder (ADF) input capacity	750 sheets

Paper handling	
Maximum ISO A-series paper size *	A3

Ports & interfaces	
USB port *	✔
USB version	3.2 Gen 1 (3.1 Gen 1)

Network	
Ethernet LAN	✔
Supported network protocols	DHCP, TCP/IP

Power	
Power supply type *	AC
Power consumption (typical)	240 W
Power consumption (standby)	0.5 W
Power consumption (PowerSave)	23.7 W
AC input frequency	50 - 60 Hz
Input voltage	100 - 240 V

Weight & dimensions	
Width	693 mm
Depth	554 mm
Height	434 mm
Weight	60 kg

Sustainability	
Sustainability certificates	ENERGY STAR

System requirements	
Minimum RAM	8192 MB
Minimum processor	Intel i5 - Gen 12
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 x64, Windows 10 Pro x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64
Server operating systems supported	Windows Server 2019, Windows Server 2022

Operational conditions	
Operating temperature (T-T)	15 - 35 °C
Operating relative humidity (H-H)	15 - 80%

Other features	
Control panel	✔
Scan media weight	25 - 433 g/m²

Other features	
Compliance certificates	RCM, cTUVus, ICES, CE, GS mark, VCCI, Norma Oficial Mexicana (NOM), Federal Communications Commission (FCC), UKCA
Technical details	
Linear (1D) barcodes supported	Codabar, Code 128, Code 3 of 9, EAN-13, EAN-8, Interleaved 2 of 5, PDF417, UPC-A, UPC-E

0041778016688

041778016688

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 11-NOV-2026. Prints or copies of Information are only valid on the printed Publication date