## MSI Pro AP272P 14M-600US All-in-One PC/workstation Intel® Core™ i7 i7-14700 68.6 cm (27") 1920 x 1080 pixels 32 GB DDR5-SDRAM 1 TB SSD Windows 11 Pro Wi-Fi 6E (802.11ax) Black

Brand: MSI Product family: Pro Product code: PRO AP272P

14M-600US

Product name : PRO AP272P

14M-600US

- Windows 11 Pro
- Intel Core i7-14700 (33MB Cache)
- 68.6 cm (27") Full HD 1920 x 1080 IPS
- 32GB (5600MHz) DDR5-SDRAM (2 x 8) & 1000GB SSD

Intel Core i7-14700 (33MB Cache), 32GB DDR5-SDRAM, 1000GB SSD, 68.6 cm (27") Full HD 1920 x 1080 IPS, Intel UHD Graphics 770, LAN, WLAN, Bluetooth, Webcam, Windows 11 Pro MSI Pro AP272P 14M-600US. Product type: All-in-One PC. Display diagonal: 68.6 cm (27"), HD type: Full HD, Display resolution: 1920 x 1080 pixels, Panel type: IPS. Processor family: Intel® Core™ i7. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM. Total storage capacity: 1 TB, Storage media: SSD. On-board graphics card model: Intel UHD Graphics 770. Built-in camera. Operating system installed: Windows 11 Pro. Product colour: Black





Display		Camera	
Display diagonal *	68.6 cm (27")	Built-in camera *	✓
Display resolution *	1920 x 1080 pixels	Camera HD type	Full HD
Touchscreen *	×	Privacy camera	<b>✓</b>
HD type *	Full HD	Privacy type	Pop-up
Display surface	Matt	Network	
Panel type	IPS		
Pixel pitch	0.2745 x 0.2745 mm	Wi-Fi *	•
Anti-glare screen	1	Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)
Processor		Wi-Fi standards	Wi-Fi 6E (802.11ax)
Processor manufacturer *	Intel	WLAN controller manufacturer WLAN controller model	Intel Intel Wi-Fi 6E AX211
Processor family *	Intel® Core™ i7		
Processor generation	Intel® Core™ i7 (14th gen)	Ethernet LAN *	10 100 1000 MINING
Processor model *	i7-14700	Ethernet LAN data rates	10,100,1000 Mbit/s
Processor cores	20	Bluetooth *	<b>✓</b>
Processor boost frequency	5.4 GHz	Bluetooth version	5.3
Performance cores	8	Ports & interfaces	
Efficient cores	12	Ethernet LAN (RJ-45) ports	1
Performance-core Max Turbo	5.3 GHz	USB 2.0 ports quantity *	2
Frequency		USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2
Efficient-core Max Turbo Frequency		ports quantity *	
Performance-core base frequency	2.1 GHz	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1
Efficient-core base frequency Processor cache	1.5 GHz 33 MB	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	•
Processor cache type	Smart Cache	ports quantity *	1
Bus type	DMI4	HDMI ports quantity *	1
Processor base power	65 W	DisplayPorts quantity	1
Maximum turbo power	219 W	Headphone outputs	1
·		Microphone in	✓
Memory		DC-in jack	✓
Internal memory *	32 GB	Design	
Internal memory type	DDR5-SDRAM	Product colour *	Black
Maximum internal memory *	64 GB	Wall mountable	✓
Memory slots	2	wan mountable	•

Memory		Design	
•	CO DIMM	-	
Memory slots type Memory clock speed Memory layout (slots x size) Memory form factor	SO-DIMM 5600 MHz 2 x 8 GB DIMM/SO-DIMM	VESA mounting	✓
		On/off button	✓
		Performance	
Storage		Product type *  Market positioning	All-in-One PC Business
Total storage capacity * Storage media * Number of storage drives installed Total SSDs capacity Number of SSDs installed SSD capacity SSD interface NVMe	1 TB SSD 1 1 TB 1 1 TB PCI Express 3.0	Motherboard chipset	Intel H610
		Trusted Platform Module (TPM)	✓
		Trusted Platform Module (TPM) version	2.0
		Software	
		Operating system installed *	Windows 11 Pro
		Processor special features	
SSD form factor	M.2	CPU configuration (max)	1
Optical drive type *	X	Power	
Graphics		AC adapter power	120 W
Discrete graphics card *	X Not available ✓	Weight & dimensions	
Discrete graphics card model * On-board graphics card *		Width (with stand)	613.5 mm
		Depth (with stand)	268 mm
On-board GPU manufacturer	Intel	Height (with stand)	457.7 mm
On-board graphics card family	Intel® UHD Graphics	Weight (with stand)	4.63 kg
On-board graphics card model *	Intel UHD Graphics 770	Package width	711 mm
Audio		Package depth	32 mm
Built-in speaker(s) *	<b>✓</b>	Package height	514 mm
•	2	Package weight	8 kg
Number of speakers RMS rated power Audio chip	6 W Realtek ALC897	Operational conditions	
		Operating temperature (T-T)	0 - 35 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	0 - 85%
		Storage relative humidity (H-H)	0 - 90%
		Certificates	
		Certification	FCC(Class B), CB/CE, UL(CUL), BSMI, VCCI, RCM(C-Tick)

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.