

Philips B Line 276B1/75 LED display 68.6 cm (27") 2560 x 1440 pixels Full HD Black

Brand : Philips

Product family: B Line

Product code: 276B1/75

Product name : 276B1/75

Monitor 276B1 LCD monitor with USB-C docking

Philips B Line 276B1/75 LED display 68.6 cm (27") 2560 x 1440 pixels Full HD Black:

This Philips monitor offers 90W power delivery and a simple laptop docking solution. View QHD image, re-charge a laptop and Ethernet, all at the same time with a single USB-C cable. Eye comfort with TUV certification to reduce eye fatigue.

Philips B Line 276B1/75. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	2560 x 1440 pixels	Panel mounting interface	100 x 100 mm
HD type *	Full HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LED	Height adjustment *	✓
Panel type *	IPS	Adjustable height (max)	15 cm
Backlight type	W-LED	Pivot	✓
Touchscreen *	✗	Pivot angle	-90 - 90°
Display brightness (typical)	350 cd/m²	Swivelling	✓
Response time *	4 ms	Swivel angle range	-180 - 180°
Display surface	Matt	Tilt adjustment	✓
Anti-glare screen	✓	Tilt angle range	-5 - 35°
Screen shape *	Flat	On Screen Display (OSD)	✓
Aspect ratio	16:9	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Contrast ratio (typical) *	1000:1		
Contrast ratio (dynamic)	5000000:1		
Dynamic contrast ratio marketing name	SmartContrast	Number of OSD languages	21
Maximum refresh rate *	75 Hz	Plug and Play	✓
Viewing angle, horizontal	178°	LED indicators	Operation, Stand-by
Viewing angle, vertical	178°	Power	
Display number of colours *	16.7 million colours	Energy efficiency class (SDR) *	F
Pixel pitch	0.2331 x 0.2331 mm	Energy consumption (SDR) per 1000 hours *	26 kWh
Pixel density	109 ppi	Power consumption (typical) *	20.2 W
Horizontal scan range	30 - 114 kHz	Power consumption (standby) *	0.3 W
Vertical scan range	48 - 75 Hz	Power consumption (PowerSave)	16.4 W
Viewable size, horizontal	59.7 cm	AC input voltage	100 - 240 V
Viewable size, vertical	33.6 cm	AC input frequency	50 - 60 Hz
Digital horizontal frequency	30 - 114 kHz		
Digital vertical frequency	48 - 75 Hz		
Display diagonal (metric)	68.6 cm		

Display		Power	
DDC/CI	✓	AC adapter output voltage	19 V
Haze rate	25%	Power supply type	Internal
Surface hardness	3H	Energy efficiency scale	A to G
Colour gamut standard	sRGB	European Product Registry for Energy Labelling (EPREL) code	349924
Colour gamut	110%	Operational conditions	
sRGB coverage (typical)	107%	Operating temperature (T-T)	0 - 40 °C
NTSC coverage (typical)	104%	Storage temperature (T-T)	-20 - 60 °C
Display sRGB	✓	Operating relative humidity (H-H)	20 - 80%
Performance		Operating altitude	0 - 3658 m
NVIDIA G-SYNC *	✗	Non-operating altitude	0 - 12192 m
AMD FreeSync *	✗	Weight & dimensions	
Component video sync	Separate sync	Width (with stand)	613 mm
Flicker-free technology	✓	Depth (with stand)	225 mm
Low Blue Light technology	✓	Height (with stand)	537 mm
Multimedia		Weight (with stand)	7.26 kg
Number of speakers	2	Width (without stand)	613 mm
RMS rated power	4 W	Depth (without stand)	54 mm
Built-in speaker(s) *	✓	Height (without stand)	366 mm
Built-in camera *	✗	Weight (without stand)	5.47 kg
Design		Packaging data	
Market positioning *	Business	Package width	730 mm
Product colour *	Black	Package depth	193 mm
Front bezel colour	Black	Package height	471 mm
Feet colour	Black	Package weight	10.9 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	✓	Stand included	✓
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Cables included	HDMI, DisplayPort, USB Type-C, AC
USB upstream port type	USB Type-C	Manual	✓
Number of upstream ports	1	Bundled software	SmartControl
Number of USB Type-C upstream ports quantity	1	Sustainability	
USB Type-A downstream ports quantity	4	Sustainability certificates	ENERGY STAR, TCO
USB Type-C downstream ports quantity	1	Doesn't contain	Mercury, PVC/BFR
USB Type-C DisplayPort Alternate Mode	✓	Other features	
USB Power Delivery (USB PD)	✓	HBR3 support	✓
USB Power Delivery up to	90 W	Exterior finish type	Textured
HDMI *	✓	Picture enhancement	SmartImage
HDMI ports quantity	2	Recyclable packaging material	100%
HDMI version	1.4	Regulatory Approvals	cETLus; CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CE Mark; FCC Class B; ICES-003; UKRAINIAN; TUV Eye Comfort certified; CCC; CECp; CEL
DisplayPorts quantity	1		
DisplayPort version	1.4		
Audio output	✓	Heavy metals free	Hg (mercury), Pb (lead)
Headphone out *	✗	Light sensor	✓
HDCP	✓	EasyRead mode	✓
HDCP version	1.4	LowBlue mode	✓
AC (power) in	✓	Compliance certificates	RoHS
DisplayPort output	✓	Mean time between failures (MTBF)	70000 h
Network		Wake-on-LAN	✓
Ethernet LAN	✓	Certification	cETLus, CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, CE Mark, FCC Class B, ICES-003, UKRAINIAN, TUV Eye Comfort certified, MEPS, RCM
Recycling data			
Post-consumer recycled plastic		85%	



8712581774547



0609585253872



609585253872

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.