


Ricoh fi-8950 ADF scanner 600 x 600 DPI A3 Black, Grey

Brand : Ricoh

Product code: PA03830-B005

Product name : fi-8950

Ricoh fi-8950. Maximum scan size: 305 x 431.8 mm, Optical scanning resolution: 600 x 600 DPI, ADF scan speed (b/w, A4): 150 ppm. Scanner type: ADF scanner, Product colour: Black, Grey, Display: LCD. Sensor type: Dual CIS, Daily duty cycle (max): 130000 pages, Light source: RGB LED. Auto document feeder (ADF) input capacity: 750 sheets. Maximum ISO A-series paper size: A3, Scanning media types supported: Business Card, Post Card(JPN), ISO A-series sizes (A0...A9): A3, A4, A5, A6



| | | | |
|---|-------------------------------|-------------------------------------|---|
| Scanning | | Power | |
| Maximum scan size * | 305 x 431.8 mm | Power consumption (PowerSave) | 40 W |
| Optical scanning resolution * | 600 x 600 DPI | AC input frequency | 50/60 Hz |
| Colour scanning | ✓ | Sleep mode | ✓ |
| Duplex scanning * | ✓ | Input voltage | 100 - 240 V |
| ADF scan speed (b/w, A4) | 150 ppm | Weight & dimensions | |
| Design | | Width | 460 mm |
| Scanner type * | ADF scanner | Depth | 430 mm |
| Product colour * | Black, Grey | Height | 315 mm |
| Display | LCD | Weight | 23 kg |
| Display diagonal | 10.9 cm (4.3") | Packaging data | |
| Touchscreen | ✓ | Quantity per pack | 1 pc(s) |
| Control type | Touch | Packaging content | |
| Built-in display * | ✓ | Cables included | AC |
| Performance | | AC adapter included | ✓ |
| Sensor type * | Dual CIS | Bundled software | PaperStream Capture PaperStream IP |
| Light source | RGB LED | Sustainability | |
| Scan file formats | PDF | Sustainability compliance | ✓ |
| Daily duty cycle (max) * | 130000 pages | Sustainability certificates | ENERGY STAR |
| Scan drivers | ISIS, TWAIN | System requirements | |
| Ultrasonic sensor | ✓ | Windows operating systems supported | Windows 10, Windows 11 x64 |
| Internal memory | 2048 MB | Server operating systems supported | Windows Server 2012 R2 x64, Windows Server 2012 x64 |
| Input capacity | | Operational conditions | |
| Auto document feeder (ADF) input capacity | 750 sheets | Operating temperature (T-T) | 5 - 35 °C |
| Paper handling | | Operating relative humidity (H-H) | 20 - 80% |
| Scanning media types supported | Business Card, Post Card(JPN) | | |
| Maximum ISO A-series paper size * | A3 | | |

| Paper handling | | Other features | |
|------------------------------|---------------------------|--|------------|
| ISO A-series sizes (A0...A9) | A3, A4, A5, A6 | Compliance certificates | RoHS |
| ISO B-series sizes (B0...B9) | B5, B6 | Logistics data | |
| Letter | ✓ | Pallet gross length | 67 cm |
| Legal | ✓ | Pallet gross width | 136 cm |
| Paper tray media weight | 20 - 570 g/m ² | Harmonized System (HS) code | 8471607000 |
| Maximum scan length | 6.1 m | Paper packaging weight | 2.4 kg |
| Ports & interfaces | | Metal packaging weight | 0 g |
| USB port * | ✓ | Wood packaging weight | 0 g |
| USB version | 3.2 Gen 1 (3.1 Gen 1) | Plastic packaging weight | 15 g |
| Socket connector type | C5 | Products per pallet (air) | 6 pc(s) |
| Network | | Products per pallet (sea) | 8 pc(s) |
| Ethernet LAN | ✓ | Pallet height (sea) | 183 cm |
| Power | | Pallet height (air) | 140 cm |
| Power supply type * | AC | Cardboard packaging weight | 1.2 kg |
| Power consumption (typical) | 70 W | Foil packaging weight | 15 g |
| | | Polystyrene (EPS/EPP) packaging weight | 200 g |
| | | Glass packaging weight | 0 g |

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.