GIGABYTE R283 AMD SoC LGA 6096 Rack (2U)

Brand : GIGABYTE Product code: R283-Z92-AAE3

Product name: R283

DDR5, 24x DIMM, 3.5", 2.5", SoC

GIGABYTE R283. Motherboard chipset: AMD SoC, Processor socket: LGA 6096, Processor manufacturer: AMD. Supported memory types: DDR4-SDRAM, Supported DIMM module capacities: 256GB, Maximum RDIMM memory: 256 GB. Storage drive sizes supported: 2.5,3.5", Supported storage drive types: HDD & SSD, Supported storage drive interfaces: Serial ATA, Serial Attached SCSI (SAS). On-board graphics card model: Aspeed AST2500. Ethernet LAN data rates: 10,100,1000 Mbit/s, LAN controller: Intel® 1350-AM2



Processor		Expansion slots	
Built-in processor * Motherboard chipset * Processor socket * Processor manufacturer Processor family	AMD SoC LGA 6096 AMD AMD EPYC	PCI Express slots version PCI slots PCI Express x24 Riser Super slots	4.0 7 1
		Features	
		Trusted Platform Module (TPM)	✓
Processor generation Number of processors supported *	AMD EPYC 9004 2	Trusted Platform Module (TPM) version	2.0
Memory		Backplanes support	✓
Number of DIMM slots * Supported memory types * Supported DIMM module capacities	32 DDR4-SDRAM	Logistics data	
		Harmonized System (HS) code	84714100
Maximum RDIMM memory	256 GB	Design	
Supported RDIMM clock speeds	4800 MHz	Chassis type *	Rack (2U)
Memory channels	Octa-channel	LED indicators	HDD, LAN, Status
Storage		Power	
Number of storage drives supported	12	Power supply *	2000 W
Ilet ewen UDD have *	✓	Number of main power supplies	2
Hot-swap HDD bays * Number of 2.5" bays	12	Redundant power supply (RPS) support	✓
Number of 3.5" bays	12	AC input voltage	110 - 240 V
Storage drive sizes supported	2.5,3.5"	DC output current (+5 V)	81 A
Supported storage drive types	HDD & SSD	DC output current (+12 V)	163 A
Supported storage drive interfaces	Serial ATA, Serial Attached SCSI (SAS)	Operational conditions	
RAID levels	0, 1, 5, 10	Operating temperature (T-T) Storage temperature (T-T)	10 - 35 °C -40 - 60 °C
Graphics		Operating relative humidity (H-H)	8 - 80%
On-board graphics card model	Aspeed AST2500	Storage relative humidity (H-H)	20 - 95%
Network		Weight & dimensions	
Ethernet LAN	✓	Width	438 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Depth	87 mm
LAN controller	Intel® I350-AM2	Height	730 mm
Ports & interfaces		Packaging data	
Ethernet LAN (RJ-45) ports * VGA (D-Sub) ports quantity	2	Packaging content	1 x R282-Z96 system 2 x CPU heatsinks 1 x Rail kit
COM ports quantity	1	Package width	982 mm
, ,		Package depth	588 mm
		Package height	268 mm

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.