DELL

DELL P Series 24 Monitor - P2423

Brand : DELL　　　　　**Product family:** P Series　　　　**Product code:** DELL-P2423

Product name : Dell 24
Monitor - P2423

- 61.0cm (24") WUXGA 1920 x 1200 LED IPS
- 5ms, 16:10, 300cd/m², 1000:1
- USB, VGA, DVI, HDMI, DisplayPort
61.0cm (24") WUXGA 1920 x 1200 LED IPS, 16:10, 300cd/m², 16.7M, 5ms, 178°/178°, 1000:1

DELL P Series 24 Monitor - P2423:

See everything on our 24-inch WUXGA 16:10 monitor with versatile connectivity, a three-sided ultrathin bezel and ComfortView Plus.
DELL P Series 24 Monitor - P2423. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1200 pixels, HD type: WUXGA, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black

Display

Display diagonal *	61 cm (24")
Display resolution *	1920 x 1200 pixels
HD type *	WUXGA
Native aspect ratio *	16:10
Display technology *	LCD
Panel type *	IPS
Backlight type	LED
Touchscreen *	✗
Display brightness (typical)	300 cd/m²
Response time *	5 ms
Anti-glare screen	✔
Screen shape *	Flat
Supported video modes	480p, 576p, 720p, 1080i, 1080p
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	8 ms
Pixel pitch	0.27 x 0.27 mm
Pixel density	94 ppi
Horizontal scan range	30 - 83 kHz
Vertical scan range	56 - 76 Hz
Viewable size, horizontal	51.8 cm
Viewable size, vertical	32.4 cm
Viewable size diagonal	61 cm
Display diagonal (metric)	60.96 cm
High Dynamic Range (HDR) supported	✗

Ergonomics

Tilt adjustment	✔
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✔
Plug and Play	✔
LED indicators	✔

Power

Energy efficiency class (SDR) *	D
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	15 kWh
Power consumption (typical) *	14.8 W
Power consumption (standby) *	0.3 W
Power consumption (max)	48 W
Power consumption (off)	0.2 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	1.5 A
Power supply type	Internal
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1043228

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m

Display

Colour gamut standard	sRGB
Colour gamut	99%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Low Blue Light technology	✔

Multimedia

Built-in speaker(s) *	✘
Built-in camera *	✘

Design

Market positioning *	Business
Product colour *	Black
Front bezel colour	Black
Detachable stand	✔
Feet colour	Silver

Ports & interfaces

Built-in USB hub *	✔
USB upstream port type	USB Type-B
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	4
VGA (D-Sub) ports quantity	1
DVI port	✔
DVI-I ports quantity	1
HDMI *	✔
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone out *	✘
AC (power) in	✔

Network

Wi-Fi	✘

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Height adjustment *	✔
Adjustable height (max)	15 cm
Pivot	✔
Pivot angle	90 - 90°
Swivelling	✔
Swivel angle range	-45 - 45°

Weight & dimensions

Width (with stand)	531 mm
Depth (with stand)	179.6 mm
Height (with stand)	510.8 mm
Weight (with stand)	5.23 kg
Width (without stand)	531 mm
Depth (without stand)	53.3 mm
Height (without stand)	348.1 mm
Weight (without stand)	3.52 kg
Bezel width (side)	6.3 mm
Bezel width (top)	6.3 mm
Bezel width (bottom)	1.78 cm

Packaging data

Package weight	7.71 kg

Packaging content

Stand included	✔
Cables included	AC, DisplayPort, USB, VGA
Quick start guide	✔

Sustainability

Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	PVC/BFR

Carbon footprint

Total carbon footprint (kg of CO2e)	565
Total carbon emissions, standard deviation (kg of CO2e)	122
Carbon emissions, manufacturing (kg of CO2e)	353.77
Carbon emissions, logistics (kg of CO2e)	68.4
Carbon emissions, energy usage (kg of CO2e)	138
Carbon emissions, end-of-life (kg of CO2e)	4.32
Total carbon emissions, w/o use phase (kg of CO2e)	427
PAIA version	1.3.0, 2021

Other features

Heavy metals free	Hg (mercury)
Compliance certificates	RoHS

Logistics data

Harmonized System (HS) code	85285210

5397184567951

0884116417866

884116417866

5704174840787

5704174840794

5715063168745

Catalog Object Cloud