



Lenovo ThinkVision T27p-30 LED display 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD Black

Brand : Lenovo

Product family: ThinkVision

Product code: 63A9GAR1US

Product name : T27p-30

- 68.6cm (27") 4K Ultra HD 3840 x 2160 W-LED IPS

- 6ms, 16:9, 180cd/m², 1300:1

- USB, HDMI, DisplayPort

68.6cm (27") 4K Ultra HD 3840 x 2160 W-LED IPS, 16:9, 180cd/m², 1.07 B, 6ms, 178°/178°, 1300:1

Lenovo ThinkVision T27p-30. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD

type: 4K Ultra HD, Display technology: LED, Response time: 6 ms, Native aspect ratio: 16:9, Viewing

angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1

Gen 1). VESA mounting, Height adjustment. Product colour: Black



| Display | | Ports & interfaces | |
|------------------------------|------------------------|-------------------------------|----------------------------|
| Display diagonal * | 68.6 cm (27") | HDMI * | ✓ |
| Display resolution * | 3840 x 2160 pixels | HDMI ports quantity | 1 |
| HD type * | 4K Ultra HD | HDMI version | 2.0 |
| Native aspect ratio * | 16:9 | DisplayPorts quantity | 1 |
| Display technology * | LED | DisplayPort version | 1.4 |
| Panel type * | IPS | Headphone out * | ✓ |
| Backlight type | W-LED | Headphone outputs | 1 |
| Touchscreen * | ✗ | Headphone connectivity | 3.5 mm |
| Display brightness (peak) | 350 cd/m² | Network | |
| Display brightness (typical) | 180 cd/m² | Ethernet LAN | ✓ |
| Response time | 6 ms | Ergonomics | |
| Anti-glare screen | ✓ | VESA mounting * | ✓ |
| Screen shape * | Flat | Panel mounting interface | 100 x 100 mm |
| Contrast ratio (typical) * | 1300:1 | Cable management | ✓ |
| Contrast ratio (dynamic) | 3000000:1 | Cable lock slot * | ✓ |
| Maximum refresh rate * | 60 Hz | Cable lock slot type | Kensington |
| Viewing angle, horizontal | 178° | Height adjustment * | ✓ |
| Viewing angle, vertical | 178° | Height adjustment | 15.5 cm |
| Display number of colours * | 1.07 billion colours | Pivot | ✓ |
| Response time (fast) | 4 ms | Pivot angle | -90 - 90° |
| Pixel pitch | 0.155 x 0.155 mm | Swivelling | ✓ |
| Pixel density | 163 ppi | Swivel angle range | -45 - 45° |
| Viewable size, horizontal | 59.7 cm | Tilt adjustment | ✓ |
| Viewable size, vertical | 33.6 cm | Tilt angle range | -5 - 23.5° |
| Colour depth | 10 bit | On Screen Display (OSD) | ✓ |
| RGB colour space | sRGB | Power | |
| Colour gamut | 99% | Power consumption (typical) * | 35 W |
| Performance | | Power consumption (standby) * | 0.5 W |
| NVIDIA G-SYNC * | ✗ | Power consumption (max) | 165 W |
| AMD FreeSync * | ✗ | Power consumption (off) | 0.3 W |
| Compatible operating systems | Windows 10, Windows 11 | AC input voltage | 100 - 240 V |
| Multimedia | | AC input frequency | 50 - 60 Hz |
| Built-in speaker(s) * | ✗ | Power supply type | Internal |
| Built-in camera * | ✗ | Packaging content | |
| Design | | Stand included | ✓ |
| Product colour * | Black | Cables included | AC, DisplayPort, HDMI, USB |
| Detachable stand | ✓ | HDMI cable length | 1.8 m |
| Feet colour | Black | Power cable length | 1.8 m |

| Design | | Weight & dimensions | |
|--|---|------------------------|----------|
| Certification | Energy Star Certified, TCO 9.0, TCO Edge 2.0, EPEAT Gold, RoHS Eyesafe Display, TÜV Low Blue Light (Hardware solution), TÜV Rheinland Low Blue Light, TÜV Rheinland Flicker Free, TÜV Rheinland Eye Comfort | Width (with stand) | 613.6 mm |
| | | Depth (with stand) | 204.5 mm |
| | | Height (with stand) | 545.4 mm |
| | | Weight (with stand) | 7.3 kg |
| | | Width (without stand) | 613.6 mm |
| | | Depth (without stand) | 50 mm |
| | | Height (without stand) | 363.5 mm |
| Ports & interfaces | | Weight (without stand) | 5.3 kg |
| Built-in USB hub * | ✓ | Bezel width (side) | 2 mm |
| USB hub version | 3.2 Gen 1 (3.1 Gen 1) | Bezel width (top) | 2 mm |
| USB upstream port type | USB Type-C | Bezel width (bottom) | 1.8 cm |
| Number of upstream ports | 1 | Packaging data | |
| Number of USB Type-C upstream ports quantity | 1 | Package width | 690 mm |
| USB Type-A downstream ports quantity | 3 | Package depth | 525 mm |
| USB Type-C DisplayPort Alternate Mode | ✓ | Package height | 148 mm |
| USB Power Delivery | ✓ | Package weight | 10.4 kg |
| USB Power Delivery up to | 90 W | | |



0196380977459



196380977459

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-APR-2024. Prints or copies of Information are only valid on the printed Publication date