

StarTech.com 8 Port 1U Rackmount USB KVM Switch with OSD

Brand : StarTech.com

Product code: SV831DUSBU

Product name : 8 Port 1U Rackmount USB KVM Switch with OSD



8 Port 1U Rackmount USB KVM Switch with OSD

StarTech.com 8 Port 1U Rackmount USB KVM Switch with OSD. Keyboard port type: USB, Mouse port type: USB, Video port type: VGA. Maximum resolution: 1920 x 1440 pixels. Product colour: Black, Rack capacity: 1U, Housing material: Steel. Input voltage: 100 - 240 V, Input current: 0.8 A, Output voltage: 12 V. Compliance certificates: RoHS



| Ports & interfaces | | Power | |
|-----------------------------------|---------------------|-----------------------------------|-------------------|
| Number of computers controlled * | 8 | Power plug type | Type M |
| Keyboard port type * | USB | Compatible power plug types | EU, UK, US |
| Mouse port type * | USB | Sustainability | |
| Video port type * | VGA | Compliance certificates | RoHS |
| VGA (D-Sub) ports quantity | 9 | Operational conditions | |
| Console ports * | USB A, VGA (D-Sub) | Operating temperature (T-T) | 5 - 40 °C |
| Console USB ports quantity | 2 | Storage temperature (T-T) | -20 - 60 °C |
| Audio connections | ✗ | Operating relative humidity (H-H) | 0 - 80% |
| DC-in jack | ✓ | Weight & dimensions | |
| Performance | | Width | 540 mm |
| Maximum resolution * | 1920 x 1440 pixels | Depth | 180 mm |
| Plug and Play | ✓ | Height | 45 mm |
| Daisy chain | ✓ | Weight | 2.9 kg |
| Design | | Packaging data | |
| Rack mounting * | ✓ | Package width | 89 mm |
| Rack capacity | 1U | Package depth | 573 mm |
| Product colour * | Black | Package height | 268 mm |
| Housing material | Steel | Package weight | 3.3 kg |
| LED indicators | ✓ | Packaging content | |
| Mean time between failures (MTBF) | 150000 h | Manual | ✓ |
| Certification | CE, FCC, TAA, REACH | AC adapter included | ✓ |
| Display | | Rubber feet | ✓ |
| Built-in display * | ✗ | Other features | |
| On Screen Display (OSD) | ✓ | Connectivity technology | Wired |
| Power | | Dimensions (WxDxH) | 540 x 180 x 45 mm |
| Input voltage | 100 - 240 V | Ports quantity | 8 |

| Power | | Other features | |
|----------------|-------|-----------------------------|--------------|
| Input current | 0.8 A | Power requirements | 110 - 240 AC |
| Output voltage | 12 V | Audio support | × |
| Output current | 1.5 A | IP control | × |
| Logistics data | | | |
| | | Harmonized System (HS) code | 85176200 |



0065030837255



065030837255



0069060236316



069060236316

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.