

ASUS ROG -STRIX-1000P-GAMING-WHITE power supply unit 1000 W 20+4 pin ATX ATX

Brand : ASUS

Product family: ROG

Product code: ROG-STRIX-1000P-GAMING-WHITE

Product name : ROG-STRIX-1000P-GAMING-WHITE



- GaN MOSFET delivers superior power efficiency by up to 30% and a more organized internal layout for cooler operation
 - "GPU-FIRST" voltage sensing with patented-intelligent voltage stabilizer enhances voltage delivery by up to 45% to your graphics card for smoother gameplay and unwavering performance
 - Large ROG heatsinks cover critical components, delivering lower temperatures and noise than reference designs
 - Dual ball fan bearings can last up to twice as long as sleeve bearing designs
 - 0dB technology lets you enjoy light gaming in relative silence
 - ATX 3.1 compatible: ROG Strix Platinum White Edition is compliant with ATX 3.1 standard, ensuring enhanced voltage and current regulation
 - PCIe 5.0 Ready: ROG Strix Platinum White Edition features a native 12V-2x6 connector for next-gen graphics card power
 - 80 PLUS platinum certified: ROG Strix Platinum White Edition utilizes low-ESR capacitors and premium components for industry-leading power efficiency
- ROG Strix 1000W Platinum White Edition

Power		Ports & interfaces	
Total power *	1000 W	CPU power connector (4+4 pin)	✓
AC input voltage *	100 - 240 V	CPU power cable length	100 cm
Power Factor Correction (PFC) type	Active	ATX power connector (20+4 pin)	✓
Combined power (+3.3V)	130 W	Cabling type	Fully-Modular
Combined power (+12V)	1000 W	Performance	
Combined power (+5V)	130 W	80 PLUS certification *	80 PLUS Platinum
Combined power (-12V)	3.6 W	Purpose *	PC
Combined power (+5Vsb)	15 W	Power supply unit (PSU) form factor *	ATX
Max output current (+3.3V)	25 A	Noise level	20 dB
Max output current (+12V)	83.3 A	Bearing technology	Ball bearing
Max output current (+5V)	25 A	Mean time between failures (MTBF)	120000 h
Max output current (-12V)	0.3 A	Design	
Max output current (+5Vsb)	3 A	Product colour	White
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Cooling type	Semi-passive
Ports & interfaces		Number of fans	1 fan(s)
Motherboard power connector *	20+4 pin ATX	Illumination	✓
Motherboard power cable length	61 cm	On/off switch	✓
Number of SATA power connectors	6	Packaging content	
SATA power cable length	120,400 mm	Cables included	AC, CPU, PCIe, Peripheral (Molex), SATA
Peripheral (Molex) power connectors (4-pin) *	3	Certificates	
Peripheral (Molex) power cable length	150,400 mm	Certification	Cybenetics Noise Level Certification A+
PCI Express power connectors (6+2 pin)	4	Weight & dimensions	
PCI Express power connectors (16-pin)	1	Width	160 mm
PCI Express power cable length	75 cm	Depth	150 mm

Weight & dimensions

Height	86 mm
Weight	1.81 kg

Packaging data

Package type	Box
--------------	-----

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.