ASUS ROG -STRIX-1000P-GAMING-WHITE power supply unit 1000 W 20+4 pin ATX ATX

Brand: ASUS Product family: ROG Product code: ROG-STRIX-1000P-GAMING-WHITE

Product name : ROG-STRIX-1000P-GAMING-WHITE

- GaN MOSFET delivers superior power efficiency by up to 30% and a more organized internal layout for cooler operation
- "GPU-FIRST" voltage sensing with patented-intelligent voltage stabilizer enhances voltage delivery by up to 45% to your graphics card for smoother gameplay and unwavering performance
- Large ROG heatsinks cover critical components, delivering lower temperatures and noise than reference designs
- Dual ball fan bearings can last up to twice as long as sleeve bearing designs
- 0dB technology lets you enjoy light gaming in relative silence
- ATX 3.1 compatible: ROG Strix Platinum White Edition is compliant with ATX 3.1 standard, ensuring enhanced voltage and current regulation
- PCIe 5.0 Ready: ROG Strix Platinum White Edition features a native 12V-2x6 connector for next-gen graphics card power
- 80 PLUS platinum certified: ROG Strix Platinum White Edition utilizes low-ESR capacitors and premiumcomponents for industry-leading power efficiency ROG Strix 1000W Platinum White Edition





Power		Ports & interfaces	
Total power * AC input voltage * Power Factor Correction (PFC) type Combined power (+3.3V)	nput voltage * 100 - 240 V er Factor Correction (PFC) type Active abined power (+3.3V) 130 W	CPU power connector (4+4 pin) CPU power cable length ATX power connector (20+4 pin) Cabling type	✓ 100 cm ✓ Fully-Modular
Combined power (+12V)	1000 W	Performance	
Combined power (+5V) Combined power (+12V) Combined power (+5Vsb) Max output current (+3.3V)	130 W 3.6 W 15 W 25 A 83.3 A 25 A 0.3 A	80 PLUS certification * Purpose * Power supply unit (PSU) form factor	80 PLUS Platinum PC ATX
Max output current (+12V) Max output current (+5V) Max output current (-12V) Max output current (+5Vsb)		Noise level Bearing technology Mean time between failures (MTBF)	20 dB Ball bearing 120000 h
max output current (13v3b)	Over current, Over power, Over	Design	
Power protection features	voltage, Overheating, Short circuit, Under voltage	Product colour Cooling type	White Semi-passive
Ports & interfaces		Number of fans	1 fan(s)
Motherboard power connector * Motherboard power cable length	20+4 pin ATX 61 cm	Illumination On/off switch	<i>y</i>
Number of SATA power connectors SATA power cable length	6 120,400 mm	Packaging content	
Peripheral (Molex) power connectors (4-pin) *	3	Cables included	AC, CPU, PCIe, Peripheral (Molex), SATA
Peripheral (Molex) power cable length	150,400 mm	Certificates	
PCI Express power connectors (6+2 pin)	4	Certification	Cybenetics Noise Level Certification A+
PCI Express power connectors (16-	1	Weight & dimensions	
pin) PCI Express power cable length	75 cm	Width Depth	160 mm 150 mm

Weight & dimensions	
Height	86 mm
Weight	1.81 kg
Packaging data	
Package type	Box

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.