

## Samsung LF24T454GYNXZA computer monitor 61 cm (24") 1920 x 1200 pixels Full HD+ LED Black

**Brand :** Samsung

**Product code:** LF24T454GYNXZA

**Product name :** LF24T454GYNXZA

24" 1920 x 1200, IPS, 5(GTG), 250 cd/m², 178°/178°, 75Hz, HDMI, Display Port, USB2.0 x 2, USB3.0 x 3 Samsung LF24T454GYNXZA. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1200 pixels, HD type: Full HD+, Display technology: LED, Native aspect ratio: 16:10, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	61 cm (24")	Headphone out *	✓
Display resolution *	1920 x 1200 pixels	<b>Ergonomics</b>	
HD type *	Full HD+	VESA mounting *	✓
Native aspect ratio *	16:10	Panel mounting interface	100 x 100 mm
Display technology *	LED	Height adjustment *	✓
Panel type *	IPS	Adjustable height (max)	13 cm
Touchscreen *	✗	Pivot	✓
Display brightness (typical)	200 cd/m²	Pivot angle	-2 - 92°
Screen shape *	Flat	Swivelling	✓
Contrast ratio (typical) *	1000:1	Swivel angle range	-45 - 45°
Dynamic contrast ratio marketing name	Mega Contrast	Tilt adjustment	✓
Maximum refresh rate *	75 Hz	Tilt angle range	-3 - 25°
Viewing angle, horizontal	178°	<b>Power</b>	
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50 - 60 Hz
Performance		<b>Operational conditions</b>	
Flicker-free technology	✓	Operating temperature (T-T)	10 - 40 °C
Game mode	✓	Operating relative humidity (H-H)	10 - 80%
Multimedia		<b>Weight &amp; dimensions</b>	
Built-in speaker(s) *	✓	Width (with stand)	534 mm
Design		Depth (with stand)	224 mm
Market positioning *	Business	Height (with stand)	386.3 mm
Product colour *	Black	Weight (with stand)	5.5 kg
Ports & interfaces		Width (without stand)	534 mm
Built-in USB hub *	✓	Depth (without stand)	44.9 mm
USB Type-A downstream ports quantity	4	Height (without stand)	354.5 mm
USB Type-C downstream ports quantity	1	Weight (without stand)	4.1 kg
DVI port	✓	<b>Packaging data</b>	
HDMI *	✓	Package width	611 mm
		Package depth	419 mm
		Package height	153 mm

Ports & interfaces		Packaging data	
HDMI ports quantity	1	Package weight	6.8 kg
HDMI version	1.4	Packaging content	
DisplayPorts quantity	1	Stand included	✓
DisplayPort version	1.2	Cables included	AC, DisplayPort, HDMI, USB
		Power cable length	1.5 m

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 19-MAR-2025. Prints or copies of Information are only valid on the printed Publication date