

## Viewsonic 86" 4K OS-Free Commercial Display

**Brand :** Viewsonic

**Product code:** CDE86G3-1C

**Product name :** 86" 4K OS-Free Commercial Display




- OS-Free Architecture minimizes vulnerabilities in secure and sensitive environments
- USB-C and HDMI 2.1 connectivity supports easy BYOD use without additional adapters
- Fast cold boot and 24/7 operation ensures instant power-on and nonstop performance
- Built-in USB media playback supports offline content delivery and digital signage
- ProAV system integration enables centralized control
- EPEAT® Gold certification supports sustainable, large-scale commercial deployments
- 500-nit brightness and 4K UHD resolution deliver vivid visuals in any orientation

86", 4K UHD (3840 x 2160), TFT LCD, DLED, 500 nits, 1200:1, 8 ms, 2x 10 W, HDMI 2.1, RS-232, VGA, SPDIF, RJ45, USB-A, USB-C, 3.5 mm, OS-Free

Viewsonic 86" 4K OS-Free Commercial Display. Product design: Digital signage flat panel. Display diagonal: 2.18 m (86"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Product colour: Black

<b>Display</b>		<b>Design</b>	
Panel type	TFT	Bezel width (side)	1.59 cm
LED backlight	✓	Bezel width (top)	1.59 cm
LED backlighting type	Direct-LED	Anti-glare screen	✓
Display diagonal *	2.18 m (86")	<b>Performance</b>	
Display technology *	LCD	Purpose *	Commercial
Display resolution *	3840 x 2160 pixels	Operating hours (hours/days)	24/7
Display brightness *	500 cd/m <sup>2</sup>	HDCP	✓
HD type *	4K Ultra HD	HDCP version	1.4/2.2
Touchscreen *	✗	<b>Power</b>	
Native aspect ratio	16:9	Power consumption (typical) *	138.3 W
Response time	8 ms	Energy efficiency class (SDR)	F
Contrast ratio (typical)	1200:1	Energy efficiency class (HDR)	F
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours	220 kWh
Viewing angle, vertical	178°	Energy consumption (HDR) per 1000 hours	219 kWh
Active display area (W x H)	941.184 x 529.416 mm	AC input voltage	100 - 240 V
Panel life	50000 h	<b>Weight &amp; dimensions</b>	
Native refresh rate	60 Hz	Display width	1933.8 mm
Haze rate	25%	Display depth	79.7 mm
Surface hardness	3H	Display height	1103.8 mm
<b>Ports &amp; interfaces</b>		Display weight	39.5 kg
HDMI ports quantity *	3	Weight	42.8 kg
HDMI version	2.1	<b>Packaging data</b>	
HDMI input ports quantity	3	Package width	2095 mm
DVI port *	✗	Package depth	185 mm
VGA (D-Sub) input ports	1	Package height	1220 mm
DisplayPort version	1.2	Package weight	58.9 kg
USB port *	✓	<b>Packaging content</b>	
USB ports quantity	3	Remote control included	✓
USB version	2.0	Batteries included	✓
USB connector type	USB Type-A, USB Type-C		
USB Type-C DisplayPort Alternate Mode	✓		
Ethernet LAN (RJ-45) ports	1		

Ports & interfaces		Packaging content	
PC Audio in	✓	Cables included	AC, HDMI, RS-232
RS-232 interface	✓	Mounting kit	✓
Digital audio optical out	1	Operational conditions	
PC Audio out	✓	Operating temperature (T-T)	0 - 40 °C
<b>Audio</b>		Operating relative humidity (H-H)	20 - 80%
Built-in speaker(s) *	✓	<b>Logistics data</b>	
Number of built-in speakers	2	Products per master (outer) case	1 pc(s)
RMS rated power	20 W	Pallet gross length	114 cm
<b>Design</b>		Pallet gross width	2.17 m
Product design *	Digital signage flat panel	Pallet gross height	134 cm
Placement supported *	Indoor	Harmonized System (HS) code	8528521000
Orientation	Horizontal/Vertical	<b>Network</b>	
Product colour *	Black	Ethernet LAN *	✓
Screen shape	Flat	<b>Technical details</b>	
VESA mounting *	✓	Sustainability certificates	ENERGY STAR, EPEAT Gold, ErP
Panel mounting interface	600 x 400 mm	Compliance certificates	CB, CE, EAC, Federal Communications Commission (FCC), RCM, REACH, RoHS, WEEE, cTUVus
Bezel width (bottom)	1.59 cm		



766907035681

0766907035681

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.