DELL Pro P P4326QEB computer monitor 108 cm (42.5") 3840 x 2160 pixels 4K Ultra HD LCD Black, Grey

Brand : DELL **Product family:** Pro P **Product code:** DELL-P4326QEB

Product name : P4326QEB

- 108.0cm (42.5") 4K Ultra HD 3840 x 2160 Edge LED IPS
- 8ms, 16:9, 1000:1
- USB, HDMI

108.0cm (42.5") 4K Ultra HD 3840 x 2160 Edge LED IPS, 16:9, 1.07B, 8ms, 178°/178°, 1000:1

DELL Pro P P4326QEB computer monitor 108 cm (42.5") 3840 x 2160 pixels 4K Ultra HD LCD Black, Grey:

Experience next-generation group collaboration, optimised for effortless conferencing with a 43-inch 4K monitor, integrated webcam, speakers, and microphone.
DELL Pro P P4326QEB. Display diagonal: 108 cm (42.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Grey

Display	
Display diagonal *	108 cm (42.5")
Display resolution *	3840 x 2160 pixels
HD type *	4K Ultra HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
LED backlight	✔
Backlight type	Edge LED
Touchscreen *	✘
Display brightness (peak)	350 cd/m²
Response time *	8 ms
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	720 x 400, 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 800 (WXGA), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2048 x 1152, 2048 x 1280, 2560 x 1440, 3840 x 2160
Supported video modes	480p, 576p, 720p, 1080p, 2160p
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	60 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Pixel pitch	0.2451 x 0.2451 mm
Pixel density	104 ppi
Viewable size, horizontal	94.1 cm
Viewable size, vertical	52.9 cm
Digital horizontal frequency	30 - 140 kHz
Digital vertical frequency	23 - 76 Hz

Ports & interfaces	
HDCP	✔
HDCP version	2.2

Ergonomics	
VESA mounting *	✔
Panel mounting interface	100 x 100,200 x 200 mm
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	6 cm
Swivelling	✔
Swivel angle range	-20 - 20°
Tilt adjustment	✔
Tilt angle range	-5 - 10°
On Screen Display (OSD)	✔
Plug and Play	✔
LED indicators	✔

Power	
Energy efficiency class (SDR) *	F
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	49 kWh
Power consumption (typical) *	49.2 W
Power consumption (standby) *	0.5 W
Power consumption (max)	230 W
Power consumption (off)	0.3 W
AC input voltage	120 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Display	
Surface hardness	3H
sRGB coverage (typical)	99%

Performance	
NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
Flicker-free technology	✓
Low Blue Light technology	✓

Multimedia	
Number of speakers	2
RMS rated power	16 W
Built-in speaker(s) *	✓
Built-in microphone	✓
Built-in camera *	✓

Design	
Market positioning *	Business
Product colour *	Black, Grey
Detachable stand	✓
Feet colour	Grey

Ports & interfaces	
Built-in USB hub *	✓
USB upstream port type	USB Type-C, USB Type-B
Number of downstream ports	2
Number of USB Type-B upstream ports quantity	1
Number of USB Type-C upstream ports quantity	1
USB Power Delivery (USB PD)	✓
USB Power Delivery up to	96 W
HDMI *	✓
HDMI ports quantity	1
Headphone out *	✗

Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	0 - 12190 m

Weight & dimensions	
Width (with stand)	967.2 mm
Depth (with stand)	258.8 mm
Height (with stand)	721.2 mm
Weight (with stand)	17.5 kg
Width (without stand)	967.2 mm
Depth (without stand)	67.5 mm
Height (without stand)	630.9 mm
Weight (without stand)	12.7 kg
Bezel width (side)	1.3 cm
Bezel width (top)	1.3 cm
Bezel width (bottom)	5.01 cm

Sustainability	
Sustainability certificates	ENERGY STAR, EPEAT
Doesn't contain	PVC/BFR, Arsenic, Mercury

Other features	
RJ-45 ports quantity	1
Compliance certificates	RoHS

5397321043171

0884116701620

884116701620

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 15-SEP-2026. Prints or copies of Information are only valid on the printed Publication date