

GIGABYTE R163-Z30-AAB2 server barebone AMD SoC LGA 6096 Rack (1U)

Brand : GIGABYTE

Product code: R163-Z30-AAB2

Product name : R163-Z30-AAB2



EPYC, LGA 6096, SoC, MZ33-DC0

[GIGABYTE R163-Z30-AAB2 server barebone AMD SoC LGA 6096 Rack \(1U\):](#)

Powering the Next Generation of Server Architecture and Energy Efficiency

The path to AMD's 5nm 'Zen 4' architecture was paved with many successful generations of EPYC innovations and chiplet designs, and AMD EPYC 9004 Series processors continue this progression. Adding a host of new features to target a wide range of workloads, the new family of EPYC processors will deliver even better CPU performance and performance per watt, and do so on a platform with 2x the throughput of PCIe 4.0 lanes that also has support for 50% more memory channels. For this new platform, GIGABYTE has products ready to get the most out of EPYC-based systems that support fast PCIe Gen5 accelerators and Gen5 NVMe drives, in addition to support for high performant DDR5 memory.

Processor		Features	
Built-in processor *	✗	Trusted Platform Module (TPM) version	2.0
Motherboard chipset *	AMD SoC	Backplanes support	✓
Processor socket *	LGA 6096	Compatible operating systems Windows Server 2016 (X2APIC/256T not supported) Windows Server 2019 Red Hat Enterprise Linux 7.6 (x64) or later Red Hat Enterprise Linux 8.0 (x64) or later SUSE Linux Enterprise Server 12 SP4 (x64) or later SUSE Linux Enterprise Server 15 SP1 (x64) or later Ubuntu 16.04.6 LTS (x64) or later Ubuntu 18.04.3 LTS (x64) or later Ubuntu 20.04 LTS (x64) or later VMware ESXi 6.5 EP15 or later VMware ESXi 6.7 Update3 or later VMware ESXi 7.0 or later Citrix Hypervisor 8.1.0 or later	
Processor manufacturer	AMD		
Processor family	AMD EPYC		
Number of processors supported *	1		
Memory			
Number of DIMM slots *	16		
Supported memory types *	DDR4-SDRAM		
Supported DIMM module capacities	256GB		
Supported RDIMM clock speeds	4800 MHz		
Memory channels	Octa-channel		
Storage		Logistics data	
Number of storage drives supported *	4	Harmonized System (HS) code	84714100
Hot-swap HDD bays *	✓	Design	
Number of 2.5" bays	4	Chassis type *	Rack (1U)
Number of 3.5" bays	4	LED indicators	HDD, LAN, Power, Status
Storage drive sizes supported	2.5,3.5,M.2	On/off switch	✓
		Reset button	✓
		Number of fans	8 fan(s)
		Fan diameter	8 cm
Graphics		Power	
On-board graphics card model	Aspeed AST2500	Power supply *	800 W
Network		Number of main power supplies	2
Ethernet LAN	✓	AC input voltage	100 - 240 V
Ethernet interface type	Gigabit Ethernet	Input current	10 - 4 A
Ethernet LAN data rates	10,100,1000 Mbit/s	DC output current (+12 V)	66 A
Ports & interfaces		Operational conditions	
Ethernet LAN (RJ-45) ports *	2	Operating temperature (T-T)	10 - 35 °C
VGA (D-Sub) ports quantity	1	Storage temperature (T-T)	-40 - 60 °C
Expansion slots		Operating relative humidity (H-H)	8 - 80%
PCI Express x16 slots	1	Storage relative humidity (H-H)	20 - 95%
Number of M.2 (M) slots	1		
Features			
Trusted Platform Module (TPM)	✓		

Weight & dimensions

Width	438 mm
Depth	730 mm
Height	43.5 mm

Packaging data

Packaging content	1 x R162-ZA1 1 x CPU heatsink 1 x Rail kit
-------------------	--

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.