

Brother MFC-L5710DN multifunction printer Laser A4 1200 x 1200 DPI 48 ppm



Brand : Brother

Product code: MFC-L5710DN

Product name : MFC-L5710DN

- Print up to 48 pages per minute
- 2-Sided print, up to 24 sides per minute
- 2-Sided scan, up to 56 images per minute³
- Gigabit ethernet
- 50 Sheet 2-Sided Automatic Document Feeder (ADF)¹¹
- 250 sheet paper input tray expandable up to 1,290¹¹

High-speed, high-quality multifunction network business printing and scanning. With flexible paper handling options.

[Brother MFC-L5710DN multifunction printer Laser A4 1200 x 1200 DPI 48 ppm:](#)

Highly productive with fast, high-quality printing and scanning. Built for business, this intelligent multifunction printer is designed to deliver a user-friendly, professional experience that your business can depend on. Together with: 8.9cm Colour touchscreen, 512MB internal memory. Comes with 3,000 page yield toner, 11,000 maximum yield available. Compatible with Brother and 3rd Party solutions include Kofax, YSoft and more. Available under a managed print service (MPS) contract.

Printing		Ports & interfaces	
Duplex printing mode	Auto	USB connector	USB Type-A / USB Type-B
Print technology *	Laser	Network	
Printing *	Mono printing	Wi-Fi *	✗
Duplex printing *	✓	Ethernet LAN *	✓
Maximum resolution *	1200 x 1200 DPI	Cabling technology	10/100/1000Base-T(X)
Print speed (black, normal quality, A4/US Letter) *	48 ppm	Security algorithms	WPA2-AES, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA2-TKIP, WPA3-SAE, WPA-AES, WPA-PSK, WPA-TKIP
Time to first page (black, normal)	6.7 s	Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, POP3, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNMP Client, LDAP, IMAP4, Syslog
Copying		Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, POP3, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNMP Client, LDAP, Web Services (Print/Scan), IMAP4, Syslog
Duplex copying *	✓	Performance	
Duplex copying mode	Auto	Internal memory *	512 MB
Copying *	Mono copying	Sound pressure level (printing)	54 dB
Maximum copy resolution *	1200 x 600 DPI		
Time to first copy (black, normal)	8.7 s		
Maximum number of copies	999 copies		
Copier resize	25 - 400%		
Scanning			
Duplex scanning *	✓		
Duplex scanning mode	Auto		
Scanning *	Colour scanning		
Optical scanning resolution *	1200 x 1200 DPI		
Scanner type *	ADF scanner		
Scan speed (colour)	20 ppm		
Input colour depth	48 bit		
Output colour depth	16 bit		
Input greyscale depth	16 bit		
Output greyscale depth	8 bit		
Scan drivers	TWAIN, WIA		

Fax		Design	
Duplex faxing	✓	Product colour *	Black, White
Faxing *	Mono faxing	Market positioning *	Home & office
Modem speed	33.6 Kbit/s	Built-in display *	✓
Fax memory	500 pages	Display	TFT
Auto-redialing	✓	Display diagonal	8.89 cm (3.5")
Features		Control type	Touch
Duplex functions *	Copy, Fax, Print, Scan	Colour display	✓
Number of print cartridges *	1	Power	
Printing colours *	Black	Power consumption (printing)	670 W
Page description languages	PDF, BR-Script 3, PCL 6, XPS	Power consumption (copying)	680 W
Country of origin	Vietnam	Power consumption (ready)	31 W
Input & output capacity		Power consumption (sleep)	5.9 W
Total number of input trays *	1	Power consumption (off)	0.05 W
Total input capacity *	250 sheets	AC input voltage	220 - 240 V
Total output capacity *	150 sheets	AC input frequency	50/60 Hz
Auto document feeder (ADF)	✓	System requirements	
Maximum input capacity	1390 sheets	Windows operating systems supported	Windows 10, Windows 11
Paper handling		Operational conditions	
Maximum ISO A-series paper size *	A4	Operating relative humidity (H-H)	20 - 80%
Paper tray media types *	Bond paper, Envelopes, Labels, Letterhead, Plain paper, Postcard, Recycled paper, Thick paper, Thin paper	Storage temperature (T-T)	0 - 40 °C
ISO A-series sizes (A0...A9) *	A4, A5	Operating temperature (T-T)	10 - 32.5 °C
Non-ISO print media sizes	Executive, Folio, Legal, Letter	Storage relative humidity (H-H)	35 - 85%
JIS B-series sizes (B0...B9)	B5	Weight & dimensions	
Envelopes sizes	C5, Com-10, DL, Monarch	Width	497 mm
Paper tray media weight	60 - 230 g/m ²	Depth	580 mm
Ports & interfaces		Height	549 mm
USB port	✓	Weight	16.7 kg
		Packaging data	
		Package weight	20 kg
		Logistics data	
		Pallet gross height	18.9 cm
		Pallet gross weight	258.3 kg
		Master (outer) cases per pallet	12 pc(s)
		Layers per pallet	3 pc(s)
		Products per pallet	12 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	4 pc(s)
		Pallet type	1200 x 1000 mm
		Other features	
		Spare part retention	5 year(s)



4977766815161



4977766824576



0012502666523



012502666523

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.