Xerox VersaLink C415_DN multifunction printer Laser A4 1200 x 1200 DPI 40 ppm





Brand : Xerox **Product family:** VersaLink **Product code:** C415_DN

Product name : C415_DN

VersaLink C415 A4 40ppm Duplex Copy/Print/Scan/Fax PS3 PCL5e/6 2 Trays 251 Sheets
Xerox VersaLink C415_DN. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 40 ppm. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Duplex functions: Copy, Print. Maximum ISO A-series paper size: A4. Direct printing. Product colour: Grey, White

Printing	
Duplex printing mode	Auto
Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print technology *	Laser
Printing *	Colour printing
Duplex printing *	✔
Maximum resolution *	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	40 ppm
Print speed (colour, normal quality, A4/US Letter)	40 ppm
Warm-up time (from sleep mode)	2.8 s
Time to first page (black, normal)	6.2 s
Time to first page (colour, normal)	6.8 s
N-in-1 print function	✔
N-up printing	2, 4, 6, 8, 9, 16
Watermark printing	✔
Cover page printing function	✔
Booklet printing function	✔

Copying	
Duplex copying *	✔
Duplex copying mode	Auto
Copying *	Colour copying
Maximum copy resolution *	600 x 600 DPI
Time to first copy (black, normal)	6.2 s
Time to first copy (colour, normal)	7 s
Maximum number of copies	9999 copies
Copier resize	25 - 400%
N-in-1 copy function	✔
Copy programming function	✔
ID-card copy function	✔

Paper handling	
Auto Document Feeder (ADF) media weight	52 - 120 g/m²

Ports & interfaces	
Direct printing *	✔
USB port	✔
USB connector	USB Type-A / USB Type-B
USB 2.0 ports quantity	2
Optional connectivity	Wireless LAN

Network	
Wi-Fi *	✘
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Near Field Communication (NFC)	✔
Security algorithms	256-bit AES, 802.1x RADIUS, FIPS 140, HTTPS, IPSec, SHA-256, SNMP, SNMPv2, SNMPv3, TLS
Supported network protocols (IPv4)	✔
Supported network protocols (IPv6)	✔
Management protocols	TCP/IP: HTTP/HTTPS, IPP/IPPS, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD
Mobile printing technologies	Apple AirPrint, Mopria Print Service, Xerox PrintBack

Performance	
Internal storage capacity	32 GB
Storage media	eMMC
Internal memory *	2000 MB
Built-in processor	✔
Processor frequency	1200 MHz
Processor cores	4

Copying

Edge erase function	✔

Scanning

Scanning *	Colour scanning
Optical scanning resolution *	600 x 600 DPI
Maximum scan area	216 x 356 mm
Scanner type *	Flatbed & ADF scanner
Scan to	E-mail, FTP, HTTP, Network folder, SMB, TWAIN, USB
Image formats supported	JPEG, TIFF
Document formats supported	PDF
Output colour depth	24 bit
Output greyscale depth	8 bit
Scan drivers	TWAIN, WIA

Fax

Faxing *	Mono faxing
Fax resolution (black)	600 x 600 DPI
Modem speed	33.6 Kbit/s
Auto-redialing	✔
Speed dialling	✔
Fax forwarding	✔
Fax delayed sending	✔
Auto reduction	✔

Features

Maximum duty cycle *	125000 pages per month
Duplex functions *	Copy, Print
Number of print cartridges *	4
Printing colours *	Black, Cyan, Magenta, Yellow
Page description languages	PCL 5c, PCL 6, PDF, PostScript 3
Printer fonts	PCL, PostScript
Number of PCL fonts	93
Number of PostScript fonts	173
Country of origin	China

Input & output capacity

Total number of input trays *	2
Total input capacity *	251 sheets
Total output capacity *	150 sheets
Paper tray 1 input capacity	250 sheets
Auto document feeder (ADF)	✔
Auto document feeder (ADF) input capacity	100 sheets
Manual feeder	✔
Maximum output capacity	150 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Bond paper, Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Letterhead, Lightweight paper, Plain paper, Pre-printed, Recycled paper, Rough paper
ISO A-series sizes (A0...A9) *	A4, A5
Custom media width	97 - 216 mm
Custom media length	148 - 356 mm
Paper tray media weight	60 - 216 g/m²

Performance

Sound pressure level (printing)	54 dB
Sound pressure level (standby)	14 dB
Sound power level (printing)	68 dB
Sound power level (standby)	31 dB

Design

Product colour *	Grey, White
Market positioning *	Business
Built-in display *	✔
Display	LCD
Display diagonal	17.8 cm (7")
Control type	Buttons, Touch
Colour display	✔

Power

Power consumption (printing)	570 W
Power consumption (standby)	29 W
Power consumption (sleep)	1.3 W
AC input voltage	220 - 240 V
AC input frequency	57/63 Hz

System requirements

Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra
Linux operating systems supported	✔
Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Mobile operating systems supported	Android, iOS

Operational conditions

Operating relative humidity (H-H)	15 - 80%
Operating temperature (T-T)	10 - 32.2 °C

Weight & dimensions

Width	478 mm
Depth	475 mm
Height	491 mm
Weight	27.1 kg

Packaging data

Package width	575 mm
Package depth	636 mm
Package height	600 mm
Package weight	32.3 kg

Packaging content

Cartridge(s) included	✔
Included cartridge capacity (black)	2400 pages
Included cartridge capacity (CMY)	2000 pages
Cables included	AC
Power cord included	✔
Quick installation guide	✔

Other features

Number of users	5000 user(s)
Current rating	3.6 A
Languages support	Multi
Documentation CD	✔

0095205041118

095205041118

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 08-NOV-2026. Prints or copies of Information are only valid on the printed Publication date