

ASUS RT-BE92U wireless router 10 Gigabit Ethernet Tri-band (2.4 GHz / 5 GHz / 6 GHz) Black

Brand : ASUS

Product code: 90IG0950-MO9A0V

Product name : RT-BE92U

RT-BE92U BE9700 Tri-Band WiFi 7 Router (Supports 320MHz & 4096-QAM, Multi-Link Operation (MLO), AI WAN Detection, AiMesh Support, Subscription-Free Network Security and Comprehensive VPN Features, Smart Home Master)

ASUS RT-BE92U. WAN connection type: RJ-45. Wi-Fi band: Tri-band (2.4 GHz / 5 GHz / 6 GHz), Top Wi-Fi standard: Wi-Fi 7 (802.11be), WLAN data transfer rate (max): 5764 Mbit/s. Ethernet LAN interface type: 10 Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000,2500,10000 Mbit/s, Networking standards: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n. Security algorithms: WPA, WPA2, WPA3-Personal, MAC address table: 64 entries, NAT functionality: PPTP Pass-Through L2TP Pass-Through IPSec Pass-Through RTSP Pass-Through H.323 Pass-Through SIP.... Product type: Tabletop router, Product colour: Black, LED indicators: LAN, Power, WAN



| WAN connection | | Security | |
|---------------------------------------|---|-----------------------------------|--|
| Ethernet WAN * | ✓ | MAC address table | 64 entries |
| DSL WAN * | ✗ | URL filtering | ✓ |
| SIM card slot * | ✗ | DMZ support | ✓ |
| 3G/4G USB modem compatibility * | ✗ | Network address translation (NAT) | ✓ |
| WAN connection type | RJ-45 | NAT functionality | PPTP Pass-Through L2TP Pass-Through IPSec Pass-Through RTSP Pass-Through H.323 Pass-Through SIP Pass-Through PPPoE Relay |
| Wireless LAN features | | Protocols | |
| Wi-Fi band * | Tri-band (2.4 GHz / 5 GHz / 6 GHz) | DHCP server | ✓ |
| Top Wi-Fi standard * | Wi-Fi 7 (802.11be) | Design | |
| WLAN data transfer rate (max) * | 5764 Mbit/s | Product colour | Black |
| Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be) | Wall mountable | ✓ |
| WLAN data transfer rate (first band) | 1032 Mbit/s | Indication light | ✓ |
| WLAN data transfer rate (second band) | 2882 Mbit/s | LED indicators | LAN, Power, WAN |
| WLAN data transfer rate (third band) | 5764 Mbit/s | On/off switch | ✓ |
| Network | | Product type * | Tabletop router |
| Ethernet LAN * | ✓ | Packaging content | |
| Ethernet LAN interface type * | 10 Gigabit Ethernet | Cables included | LAN (RJ-45) |
| Ethernet LAN data rates | 10,100,1000,2500,10000 Mbit/s | AC adapter included | ✓ |
| Networking standards | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n | Warranty card | ✓ |
| Port forwarding | ✓ | Quick start guide | ✓ |
| Port triggering | ✓ | Packaging content | RT-BE92U WiFi 7 Tri-band Router wall mount kit RJ-45 cable Power Adapter Quick Start Guide Warranty Card |
| Dynamic DNS (DDNS) | ✓ | | |

| Network | | Antenna | |
|---|--|----------------------|-------------|
| Support Samba (storage) | ✓ | Antenna design * | External |
| VPN server | VPN Server IPSec, VPN Server Open VPN, VPN Server PPTP, VPN Server WireGuard | Antennas quantity | 4 |
| Media server | ✓ | Features | |
| Ports & interfaces | | Built-in processor | ✓ |
| Ethernet LAN (RJ-45) ports * | 3 | Processor frequency | 2 MHz |
| USB port * | ✓ | Processor cores | 4 |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1 | Internal memory | 1000 MB |
| DC-in jack | ✓ | Internal memory type | DDR4 |
| Management features | | Flash memory | 256 MB |
| Web-based management | ✓ | Firmware upgradeable | ✓ |
| Bandwidth control | ✓ | Power | |
| Quality of Service (QoS) support | ✓ | Power source type * | DC |
| Wake-on-LAN ready | ✓ | AC input voltage | 110 - 240 V |
| Reset button | ✓ | AC input frequency | 50/60 Hz |
| WPS push button | ✓ | Output voltage | 12 V |
| Intelligent Mesh technology | ✓ | Output current | 3 A |
| MU-MIMO technology | ✓ | Weight & dimensions | |
| Security | | Width | 247.2 mm |
| Security algorithms | WPA, WPA2, WPA3-Personal | Depth | 101.6 mm |
| Firewall | ✓ | Height | 287.5 mm |
| Guest access | ✓ | Weight | 790 g |
| Parental control | ✓ | Packaging data | |
| Filtering | ✓ | Package width | 374 mm |
| MAC address filtering | ✓ | Package depth | 219 mm |
| | | Package height | 105 mm |
| | | Package weight | 2.1 kg |
| | | Package type | Box |



4711387580660



0197105580633



197105580633

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.