



Workflow Station and Readers

Transfer video, photos, and audio from multiple sources at once

Kingston's Workflow Station and Readers provide a flexible system to transfer video, photos, and audio from multiple sources at once¹. Expedite your post-production workflow and create a file offload setup that fits your needs. The Workflow Station Dock is customizable so you can use only the USB miniHub, SD readers, or microSD readers that your shoot requires. Whether you're on a 4K/8K multi-cam shoot with portable audio recorders for each host, or filming B-Roll with drones and GoPros, you can connect up to four readers to the dock simultaneously and transfer footage quickly. The Workflow Station and Readers support USB 3.2 speeds which get you to your post-production process faster than ever. For added flexibility the card readers can be used on-the-go. When you need to shoot on location simply drop the hub or readers you need into your bag and connect them to your laptop using the included USB-C[®] cable.

- Transfer video, photos, and audio from multiple sources at once.
- Use the card readers with the dock or on the go¹
- Flexible system to help future proof your workflow
- Incredible USB 3.2 speeds

Key Features

- Offload Files Quicker
■ Portable Versatility
- Transfer video, photos, and audio from multiple sources at once¹.
Use the card readers on-the-go via their included USB-C cables
- Flexible Workflow System
■ Incredible Performance
- Use only the hub and readers that fit your setup¹.
Workflow Station products support USB 3.2 speeds which get you to editing quicker.

Specifications

Workflow Station Dock and USB miniHub

Interface	Dock: USB 3.2 Gen 2 USB miniHub: USB 3.2 Gen 1
Connector	Dock: USB-C USB miniHub: USB-C
Supported USB Inputs	USB miniHub: USB-A, USB-C
Package Includes	Workflow Dock, USB miniHub, USB-C to USB-C cable, power adapter, 4 power adapter country converters, and quick start guide
Dimensions	Dock: 160.27 x 70.27 x 55.77 mm USB miniHub: 62.87x16.87x50mm
Weight	Dock: 292g USB miniHub:30g
Operating temperature	-0°C~60°C

Storage temperature	-25°C~85°C
Warranty/support	2-year warranty with free technical support
Compatible with	Windows® 11, 10, macOS (v. 10.15.x +)

Workflow SD Reader

Interface	USB 3.2 Gen 1
Connector	USB-C
Supported Cards	Supports UHS-II SD cards Backwards-compatible with UHS-I SD cards
Dimensions	62.87x16.87x50mm
Weight	31g
Operating temperature	-0°C~60°C
Storage temperature	-25°C~85°C
Warranty/support	2-year warranty with free technical support
Compatible with	Windows® 11, 10, macOS (v. 10.15.x +)

Workflow microSD Reader

Interface	USB 3.2 Gen 1
Connector	USB-C
Supported Cards	Supports UHS-II microSD cards Backwards-compatible with UHS-I microSD cards
Dimensions	62.87x16.87x50mm
Weight	29g
Operating temperature	-0°C~60°C
Storage temperature	-25°C~85°C
Warranty/support	2-year warranty with free technical support
Compatible with	Windows® 11, 10, macOS (v. 10.15.x +)

Part Numbers

WFS

WFS-U
WFS-SD
WFS-SDC

Product Image



1. Compatible with Kingston Workflow Products only. Workflow Station includes Dock and USB miniHub. SD/microSD readers sold separately.



THIS DOCUMENT SUBJECT TO CHANGE WITHOUT NOTICE.

©2024 Kingston Technology Europe Co LLP and Kingston Digital Europe Co LLP, Kingston Court, Brooklands Close, Sunbury-on-Thames, Middlesex, TW16 7EP, England. Tel: +44 (0) 1932 738888 Fax: +44 (0) 1932 785469 All rights reserved. All trademarks and registered trademarks are the property of their respective owners. MKD-01022024