

## Viewsonic LS711HD data projector Short throw projector 4000 ANSI lumens 1080p (1920x1080) White

**Brand :** Viewsonic

**Product code:** LS711HD


**Product name :** LS711HD

- 3rd generation laser phosphor technology with up to a 30,000-hour lifespan
  - 4,000 ANSI Lumens offering bright images in any environment
  - High native contrast ratio achieved through Texas Instruments 0.65" DMD chip
  - 0.49 short throw for seamless edge-blending without shadows
  - Compact size and light weight reducing cost of transportation and installation
  - Installation flexibility: H/V keystone correction, 360° projection, and portrait mode
- Full HD, 4200 ANSI, 3000000:1, 1.07 B, 2, 15W x2, RJ45, HDMI, Audio-out, RS232, USB, 100-240 V, 4.5 kg



Projector		Features	
Smart projector *	✗	Interactive *	✗
Screen size compatibility *	1016 - 7620 mm (40 - 300")	Noise level (economic mode)	29 dB
Projection distance	0.43 - 3.25 m	HDCP	✓
Projector brightness *	4000 ANSI lumens	On Screen Display (OSD)	✓
Projector native resolution *	1080p (1920x1080)	On Screen Display (OSD) languages	Danish, German, Hungarian, Arabic, Dutch, Norwegian, English, Indonesian, Swedish, Spanish, Italian, Polish, Thai, Japanese, Portuguese, Turkish, Romanian, Simplified Chinese, Finnish, Korean, Russian, Vietnamese, Traditional Chinese, French, Greek, Czech, Slovak
Contrast ratio (typical) *	3000000:1	Number of OSD languages	27
Native aspect ratio *	16:9	HDCP version	1.4/2.2
Number of colours	1.07 billion colours	Noise level *	32 dB
Horizontal scan range	15 - 102 kHz	<b>Multimedia</b>	
Vertical scan range	23 - 120 Hz	Built-in speaker(s) *	✓
Keystone correction, horizontal	-15 - 15°	RMS rated power	30 W
Keystone correction, vertical	-15 - 15°	Number of built-in speakers	2
<b>Light source</b>		<b>Design</b>	
Light source type *	Laser	Market positioning *	Business
Service life of light source *	20000 h	Product type *	Short throw projector
Service life of light source (economic mode)	30000 h	Product colour *	White
<b>Lens system</b>		Cable lock slot	✓
Focus *	Manual	Cable lock slot type	Kensington
Fixed focal length	7.51 mm	<b>Display</b>	
F-number (relative aperture)	2.8	Built-in display *	✗
Zoom capability	✓	<b>Power</b>	
Zoom type	Manual	Power source *	AC
Digital zoom	2x	Power consumption (typical) *	245 W
Throw ratio	0.49	Power consumption (standby) *	0.5 W
Offset	132%	AC input voltage	100 - 240 V
<b>Video</b>		AC input frequency	50 - 60 Hz
Analog signal format system *	NTSC, PAL, SECAM	<b>Operational conditions</b>	
Full HD *	✓	Operating temperature (T-T)	0 - 40 °C
3D *	✗		
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p		
<b>Ports &amp; interfaces</b>			
HDMI connector type	Full-size		
HDMI version	2.0		
Service port type	USB Type-A		
USB 2.0 ports quantity	1		

Ports & interfaces		Weight & dimensions	
USB 2.0 Type-A ports quantity	1	Width	337 mm
Serial interface type *	RS-232	Depth	265 mm
PC Audio out	✓	Height	131.5 mm
HDMI ports quantity *	2	Weight *	3 kg
DVI port *	✗	Package width	400 mm
AC (power) in	✓	Package depth	155 mm
<b>Network</b>		Package height	280 mm
Smart TV *	✗	Package weight	4.7 kg
Ethernet LAN *	✓	<b>Packaging content</b>	
Ethernet LAN (RJ-45) ports	1	Remote control included *	✓
Wi-Fi *	✗	Quick start guide	✓
<b>Storage</b>		Warranty card	✓
Card reader integrated *	✗	<b>Technical details</b>	
		Image lag time	49.9 ms
		<b>Logistics data</b>	
		Quantity per pack	1 pc(s)
		Pallet gross length	102 cm
		Pallet gross width	122 cm
		Pallet gross height	181 cm
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000



0766907022780



766907022780

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.