

Viewsonic LS610HDH data projector Short throw projector 4000 ANSI lumens DMD 1080p (1920x1080) White



Brand : Viewsonic


Product code: LS610HDH

Product name : LS610HDH

4000 lum, (1920x1080), DC3, 30"-300", HDMI, HDCP, USB, RJ-45, RS-232, 100-240V, 5kg
Viewsonic LS610HDH. Projector brightness: 4000 ANSI lumens, Projection technology: DMD, Projector native resolution: 1080p (1920x1080). Light source type: LED, Service life of light source: 30000 h. Fixed focal length: 1.92 cm, Aperture range (F-F): 1.6 - 1.75, Throw ratio: 1.3-1.56. Supported graphics resolutions: 640 x 480 (VGA), 3840 x 2160, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size

Projector		Storage	
Screen size compatibility *	762 - 7620 mm (30 - 300")	Card reader integrated *	✗
Projection distance	0.87 - 10.38 m	Features	
Projector brightness *	4000 ANSI lumens	Interactive *	✗
Projection technology *	DMD	Noise level (economic mode)	27 dB
Projector native resolution *	1080p (1920x1080)	HDCP	✓
Contrast ratio (typical) *	3000000:1	On Screen Display (OSD)	✓
Number of colours	1.07 billion colours	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Horizontal scan range	15 - 135 kHz	Number of OSD languages	20
Vertical scan range	23 - 120 Hz	Noise level *	32 dB
Keystone correction, horizontal	-40 - 40°	Multimedia	
Keystone correction, vertical	-40 - 40°	Built-in speaker(s) *	✓
Light source		RMS rated power	10 W
Light source type *	LED	Number of built-in speakers	1
Service life of light source *	30000 h	Design	
Lens system		Market positioning *	Presentation
Fixed focal length	1.92 cm	Product type *	Short throw projector
Aperture range (F-F)	1.6 - 1.75	Product colour *	White
Zoom capability	✓	Placement	Ceiling, Desktop
Throw ratio	1.3-1.56	Display	
Offset	83%	Built-in display *	✗
Video		Power	
Full HD *	✓	Power source *	AC
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160	Power consumption (typical) *	330 W
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power consumption (standby) *	0.5 W
Ports & interfaces		AC input voltage	100 - 240 V
HDMI connector type	Full-size	AC input frequency	50 - 60 Hz
HDMI version	1.4	Operational conditions	
USB 2.0 ports quantity *	1	Operating temperature (T-T)	0 - 40 °C
Serial interface type *	RS-232	Weight & dimensions	
HDMI ports quantity *	2	Width	386 mm
DVI port *	✗	Depth	276 mm
Network		Height	116 mm
Smart TV *	✗	Weight *	5 kg
Ethernet LAN *	✓	Package width	490 mm
Ethernet LAN (RJ-45) ports	1	Package depth	376 mm
Wi-Fi *	✗	Package height	268 mm

Weight & dimensions	
Package weight	7 kg
Packaging content	
Remote control included *	✓
Manual	✓



0766907018158



766907018158

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-APR-2024. Prints or copies of Information are only valid on the printed Publication date