

## Viewsonic PS502W data projector Short throw projector 4000 ANSI lumens WXGA (1280x800) White



**Brand :** Viewsonic


**Product code:** PS502W

**Product name :** PS502W


- 4,000 ANSI Lumens offering clear images in any environment
  - 0.52 Short throw ratio for minimal space consumption
  - Up to 300" ultra large screen with lower cost-per-inch
  - Easy and flexible connection: dual HDMI ports, USB Type-A port
  - Convenient software updates for projectors via USB connection
- WXGA, 4000 ANSI, 15000:1, 1.07 B, 240W UHP, 16W, HDMI, Audio-in/out, VGA, RS232, USB, 100-240 V, 2.87 kg

Projector		Features	
Smart projector *	✗	Interactive *	✗
Screen size compatibility *	1524 - 7620 mm (60 - 300")	Noise level (economic mode)	25 dB
Projection distance	0.67 - 3.36 m	HDCP	✓
Projector brightness *	4000 ANSI lumens	On Screen Display (OSD)	✓
Projector native resolution *	WXGA (1280x800)	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Indonesian, Italian, Korean, Polish, Portuguese, Russian, Thai, Turkish, Vietnamese
Contrast ratio (typical) *	15000:1	Number of OSD languages	22
Number of colours	1.07 billion colours	HDCP version	1.4
Horizontal scan range	15 - 102 kHz	Noise level *	34 dB
Vertical scan range	23 - 120 Hz	Air filter	✓
Keystone correction, vertical	-19 - 19°	<b>Multimedia</b>	
<b>Light source</b>		Built-in speaker(s) *	✓
Light source type *	Lamp	RMS rated power	16 W
Service life of light source *	4000 h	<b>Design</b>	
Service life of light source (economic mode)	12000 h	Market positioning *	Education
Lamp type	UHP	Product type *	Short throw projector
Lamp power	240 W	Product colour *	White
Lamps quantity	1 lamp(s)	LED indicators	✓
<b>Lens system</b>		Cable lock slot	✓
Focus *	Manual	Cable lock slot type	Kensington
Fixed focal length	7.51 mm	<b>Display</b>	
F-number (relative aperture)	2.8	Built-in display *	✗
Zoom capability	✓	<b>Power</b>	
Digital zoom	2x	Power source *	AC
Throw ratio	0.52	Power consumption (typical) *	295 W
Offset	112.4%	Power consumption (standby) *	0.5 W
<b>Video</b>		AC input voltage	100 - 240 V
Analog signal format system *	NTSC, PAL, SECAM	AC input frequency	50 - 60 Hz
Full HD *	✓	<b>Operational conditions</b>	
3D *	✗	Operating temperature (T-T)	0 - 40 °C
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080)	<b>Weight &amp; dimensions</b>	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Width	309 mm
<b>Ports &amp; interfaces</b>		Depth	234 mm
HDMI connector type	Full-size		
HDMI version	1.4		
Service port type	USB Type-A		
USB 2.0 ports quantity	1		

Ports & interfaces		Weight & dimensions	
USB 2.0 Type-A ports quantity	1	Height	115 mm
Serial interface type *	RS-232	Weight *	2.9 kg
PC Audio in	✓	Package width	400 mm
PC Audio out	✓	Package depth	168 mm
PC in (D-Sub)	✓	Package height	337 mm
VGA (D-Sub) ports quantity *	2	Package weight	4.1 kg
HDMI ports quantity *	2	Packaging content	
DVI port *	✗	Remote control included *	✓
AC (power) in	✓	Remote control type	IR
Network		Cables included	AC, VGA
Smart TV *	✗	Quick start guide	✓
Ethernet LAN *	✗	Warranty card	✓
Wi-Fi *	✗	Technical details	
Storage		Image lag time	33.2 ms
Card reader integrated *	✗	Logistics data	
		Pallet gross length	102 cm
		Pallet gross width	122 cm
		Pallet gross height	181.5 cm
		Products per master (outer) case	1 pc(s)
		Harmonized System (HS) code	8528620000



0766907020038



766907020038

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.