




LG 49UH5Q-G Signage Display Digital signage flat panel 124.5 cm (49") LCD Wi-Fi 500 cd/m² 4K Ultra HD Black WebOS



Brand : LG

Product code: 49UH5Q-G

Product name : 49UH5Q-G

49 Inch UHD Digital Signage, 500 nits, webOS Smart Platform with LG Shield
LG 49UH5Q-G. Product design: Digital signage flat panel. Display diagonal: 124.5 cm (49"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating system installed: WebOS. Product colour: Black

Display		Design	
Panel type	IPS	Bezel width (top)	1.14 cm
LED backlight	✓	Performance	
LED backlighting type	Edge-LED	Purpose *	Universal
Display diagonal *	124.5 cm (49")	On Screen Display (OSD)	✓
Display technology *	LCD	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Display resolution *	3840 x 2160 pixels		
Display brightness *	500 cd/m ²	HDCP version	1.4/2.2
HD type *	4K Ultra HD	Power	
Touchscreen *	✗	Power consumption (typical) *	83 W
Contrast ratio (typical)	1100:1	Power consumption (off)	0.5 W
Contrast ratio (dynamic)	1000000:1	AC input voltage	100 - 240 V
Display number of colours	1.07 billion colours	AC input frequency	50/60 Hz
Rated lifetime	50000 h	Computer system	
Native refresh rate	60 Hz	Internal storage capacity	16 GB
Ports & interfaces		Operating system installed	WebOS
HDMI ports quantity *	3	Operating system version	8.0
DVI port *	✗	Weight & dimensions	
DisplayPorts quantity *	1	Display width	1104.3 mm
USB port *	✓	Display depth	29.7 mm
USB ports quantity	2	Display height	635.5 mm
USB version	2.0	Display weight	11.4 kg
Ethernet LAN (RJ-45) ports	1	Width (with stand)	1215 mm
RS-232C	✓	Depth (with stand)	142 mm
Audio		Height (with stand)	742 mm
Built-in speaker(s) *	✓	Packaging data	
Number of built-in speakers	2	Package weight	14.2 kg
RMS rated power	20 W	Operational conditions	
Design		Operating temperature (T-T)	0 - 40 °C
Product design *	Digital signage flat panel	Operating relative humidity (H-H)	10 - 80%
Placement supported *	Indoor		
Product colour *	Black		
VESA mounting *	✓		
Panel mounting interface	300 x 300 mm		
Bezel width (bottom)	1.14 cm		

Design		Network	
Bezel width (side)	1.14 cm	Ethernet LAN *	✓
		Wi-Fi *	✓
Technical details			
Sustainability certificates		ENERGY STAR, ErP	
Compliance certificates		CE, Federal Communications Commission (FCC), KC	



0195174150955



195174150955

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.