



HP DeskJet 4352 Wireless All-in-One Color Printer

Brand : HP

Product code: A24HTA

Product name : DeskJet 4352 Wireless All-in-One Color Printer



DeskJet 4352 All-in-One Printer

[HP DeskJet 4352 Wireless All-in-One Color Printer:](#)

Home printing made super simple Effortlessly print, scan, and copy with this compact, wireless, easy-to-use home printer with an automatic document feeder. Print everything from return labels to fun, colorful learning worksheets.^[3] HP Instant Ink eligible




Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Printing		Performance	
Duplex printing mode	Manual	Sound power level (printing)	6.4 dB
Print resolution colour	4800 x 1200 DPI	Design	
Print resolution black	1200 x 1200 DPI	Product colour *	Grey
Print technology *	Thermal inkjet	Colour name	Cement noir
Printing *	Colour printing	Built-in display *	✓
Duplex printing *	✓	Display	LCD
Maximum resolution *	4800 x 1200 DPI	Control type	Buttons
Print speed (black, normal quality, A4/US Letter) *	8 ppm	Power	
Print speed (colour, normal quality, A4/US Letter)	5 ppm	Power consumption (ready)	2.61 W
Print speed (black, draft quality, A4/US Letter)	20 ppm	Power consumption (sleep)	1.35 W
Print speed (colour, draft quality, A4/US Letter)	16 ppm	Power consumption (off)	0.1 W
Print speed (ISO/IEC 24734) black	8 ppm	AC input voltage	100 - 240 V
Print speed (ISO/IEC 24734) colour	5 ppm	AC input frequency	50/60 Hz
Time to first page (black, normal)	15 s	Brand-specific features	
Time to first page (colour, normal)	20 s	HP Instant Ink	✓
		HP Dynamic security	✓
Copying		System requirements	
Copying *	Colour copying	Windows operating systems supported	Windows 10, Windows 11
Maximum number of copies	9 copies	Mac operating systems supported	Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Scanning		Operational conditions	
Scanning *	Colour scanning	Recommended humidity operating range	20 - 80%
Optical scanning resolution *	1200 x 1200 DPI	Recommended operating temperature range (T-T)	15 - 30 °C
Maximum scan area	216 x 297 mm	Storage temperature (T-T)	-40 - 60 °C
Scanner type *	Flatbed scanner	Operating temperature (T-T)	5 - 40 °C
Scan technology	CIS	Operating altitude	0 - 3000 m
Image formats supported	JPEG, PNG, TIFF	Non-operating altitude	0 - 4500 m
Document formats supported	PDF		
Input colour depth	24 bit		
Greyscale levels	256		


Scanning		Certificates	
Scan drivers	TWAIN	Certification	EN 55032:2015+A11:2020 Class B; EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013 +A1:2019; EN 301 489-1 V2.2.3; CISPR 32 2015+A1:2019 Class B; CISPR 35:2016; FCC CFR 47 Part 15; ICES-003, Issue 7; VCCI-CISPR32:2016.
Fax			
Duplex faxing	✗		
Faxing *	✗		
Features		Sustainability	
Recommended duty cycle	100 - 300 pages per month	Sustainability certificates	ENERGY STAR, EPEAT, Forest Stewardship Council (FSC)
Maximum duty cycle *	1000 pages per month	Weight & dimensions	
Digital sender	✗	Width	428 mm
Number of print cartridges *	2	Depth	332 mm
Printing colours *	Black, Cyan, Magenta, Yellow	Height	200 mm
Page description languages	PCL 3 GUI, PCLm, URF	Weight	4.81 kg
All-In-One-multitasking	✓	Packaging data	
Country of origin	Vietnam	Package width	475 mm
HP segment	Home	Package depth	242 mm
Input & output capacity		Package height	405 mm
Total number of input trays *	1	Package weight	6.19 kg
Total input capacity *	60 sheets	Packaging content	
Total output capacity *	25 sheets	Cartridge(s) included	✓
Auto document feeder (ADF)	✓	Included cartridge capacity (black)	100 pages
Auto document feeder (ADF) input capacity	35 sheets	Included cartridge capacity (CMY)	60 pages
Maximum number of input trays	1	Cables included	AC
Maximum input capacity	60 sheets	Bundled software	HP app, available online
Maximum output capacity	25 sheets	Logistics data	
Paper handling		Harmonized System (HS) code	8443310000
Maximum ISO A-series paper size *	A4	Pallet gross weight	331 kg
Maximum print size	209.9 x 349.6 mm	Layers per pallet	5 pc(s)
Paper tray media types *	Plain paper, Photo paper, Envelopes	Products per pallet	50 pc(s)
ISO A-series sizes (A0...A9) *	A4, A6	Technical details	
ISO B-series sizes (B0...B9)	B5	Box contents	HP Deskjet 4352 All-in-One Printer; HP 68 Setup Black Cartridge; HP 68 Setup Tri-Color Cartridge; Regulatory flyer; Setup guide; Reference guide; Power cord [For ink volume and page yield information, visit http://hp.com/go/learnaboutsupplies]
Envelopes sizes	B5, DL		
Custom media width	76 - 215 mm	Master (outer) cases per pallet layer	10 pc(s)
Custom media length	127 - 355 mm	Other features	
Paper tray media weight	60 - 300 g/m ²	Number of users	3 user(s)
Envelope feeder	No	Custom media sizes	76 x 127 to 215 x 355 mm
Ports & interfaces		Recommended system requirements	Microsoft Windows 11; 10; 1 GHz processor; 2 GB available hard disk space; Internet connection. Apple macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; 2 GB HD; Internet required.
USB port	✓	Compatible operating systems	Windows 11; Windows 10; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia
USB 2.0 ports quantity	1	PictBridge	✗
Network		Pallet weight (imperial)	330.2 kg (728 lbs)
Wi-Fi standards	Wi-Fi 4 (802.11n), 802.11g, 802.11b, 802.11a	UNSPSC-code	43212110
Mobile printing technologies	Mopria Print Service, Apple AirPrint	Processor frequency	1 GHz
Performance		Number of print heads	2
Maximum internal memory	64 MB		
Internal memory *	64 MB		
Built-in processor	✓		
Processor frequency	1000 MHz		

Other features

Electromagnetic compatibility	EN 55032:2015+A11:2020 Class B; EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013 +A1:2019; EN 301 489-1 V2.2.3; CISPR 32 2015+A1:2019 Class B; CISPR 35:2016; FCC CFR 47 Part 15; ICES-003, Issue 7; VCCI-CISPR32:2016.
-------------------------------	--




0198828789761



198828789761



0198828789778



198828789778

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.