## Lenovo ThinkStation P3 Intel® Core™ i9 i9-13900T 32 GB DDR5-SDRAM 1 TB SSD NVIDIA Quadro T1000 Windows 11 Pro Mini PC Black

Brand : Lenovo Product family: ThinkStation Product code: 30H00011US

Product name: P3

- Windows 11 Pro 64-bit
- Intel Core i9-13900T (36MB Cache)
- NVIDIA Quadro T1000 (8GB GDDR6)
- 32GB (4800MHz) DDR5-SDRAM (1 x 32) & 1000GB SSD

Intel Core i9-13900T (36MB Cache), 32GB DDR5-SDRAM, 1000GB SSD, Intel UHD Graphics 770, NVIDIA Quadro T1000 (8GB GDDR6), LAN, WLAN, Bluetooth, Windows 11 Pro 64-bit

Lenovo ThinkStation P3. Processor family: Intel® Core™ i9, Processor model: i9-13900T. Internal memory: 32 GB, Internal memory type: DDR5-SDRAM, Memory clock speed: 4800 MHz. Total storage capacity: 1 TB, Storage media: SSD. On-board graphics card model: Intel UHD Graphics 770, Discrete graphics card model: NVIDIA Quadro T1000. Operating system installed: Windows 11 Pro, Operating system architecture: 64-bit. Power supply: 230 W. Chassis type: Mini PC. Product type: Mini PC. Product colour: Black







Processor		Network	
Processor manufacturer *	Intel	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Processor family *	Intel® Core™ i9	Wi-Fi standards	Wi-Fi 6E (802.11ax)
Processor generation	13th gen Intel® Core™ i9	WLAN controller manufacturer	Intel
Processor model *	i9-13900T	WLAN controller model	Intel Wi-Fi 6E AX211
Processor cores	24	Antenna type	2x2
Processor threads	32	Bluetooth	<b>√</b>
Processor boost frequency	5.3 GHz	Bluetooth version	5.1
Performance cores	8	Ports & interfaces	
Efficient cores Performance-core Max Turbo	16 5.1 GHz	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Frequency Efficient-core Max Turbo Frequency	3.9 GHz	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	4
Performance-core base frequency Efficient-core base frequency	1.1 GHz 0.8 GHz	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Processor cache	36 MB	HDMI ports quantity *	1
Processor cache type	Smart Cache	HDMI version	2.1
Bus type	DMI4	DisplayPorts quantity	1
Number of processors installed	1	DisplayPort version	1.4
Processor base power	35 W	Ethernet LAN (RJ-45) ports	1
Maximum turbo power	106 W	Combo headphone/mic port	✓
Memory		Design	
Internal memory *	32 GB	Chassis type *	Mini PC
Maximum internal memory *	64 GB	Volume	1 L
Internal memory type	DDR5-SDRAM	Placement supported	Horizontal/Vertical
Memory layout (slots x size)	1 x 32 GB	Cable lock slot	✓
Memory slots	2x SO-DIMM	Cable lock slot type	Kensington
Memory clock speed	4800 MHz	Product colour *	Black
Non-ECC	1	Performance	
Memory channels	Dual-channel	Motherboard chipset	Intel Q670
Storage		Audio chip	Realtek ALC256-VB
Total storage capacity *	1 TB	Built-in speaker(s)	✓
Storage media *	SSD	Number of speakers	1
Optical drive type *	×	Password protection	✓
Number of storage drives installed	1	Password protection type	BIOS, Power on, Supervisor
Total SSDs capacity	1 TB	Trusted Platform Module (TPM)	✓
Number of SSDs installed	1	Product type *	Mini PC

Storage		Software	
SSD capacity SSD interface NVMe SSD form factor Card reader integrated	1 TB PCI Express 4.0  ✓ M.2  ×	Operating system installed * Operating system architecture Operating system language Processor special features	Windows 11 Pro 64-bit English
		CPU configuration (max)	1
Graphics		Power	1
Discrete graphics card * Discrete GPU manufacturer On-board graphics card * Discrete graphics card model * Discrete graphics card memory Discrete graphics memory type Number of discrete graphics cards On-board GPU manufacturer On-board graphics card family On-board graphics card model *	NVIDIA  NVIDIA Quadro T1000  8 GB  GDDR6  1  Intel  Intel® UHD Graphics  Intel UHD Graphics 770	Power supply * Power supply input voltage	230 W 100 - 240 V
		Operational conditions	
		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	10 - 35 °C -40 - 60 °C 20 - 80% 10 - 90% 0 - 3048 m 0 - 12192 m
Graphics card Mini DisplayPort ports quantity		Certificates	
Network  Ethernet LAN *  Ethernet LAN data rates  Cabling technology  LAN controller  Wi-Fi *	√ 10,100,1000 Mbit/s 10/100/1000Base-T(X) Intel® I219-LM ✓	Certification	EPEAT Gold Registered ENERGY STAR 8.0 ErP Lot 3 TCO Certified 9.0 RoHS compliant MIL-STD-810H
		Weight & dimensions	
		Width * Depth * Height * Weight *	179 mm 182.9 mm 37 mm 1.4 kg
		Packaging content	
		Display included * Mouse included Keyboard included	<b>×</b> ✓





196804537290

0196804537290

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.