

Virtual 7.1-Channel USB External Sound Card

MODEL NUMBER: U237-001



Adds external microphone, speaker and/or headphone ports, as well as volume and mute controls, to your computer or laptop via USB port. An inexpensive replacement for damaged sound cards or audio connectors.

Description

The U237-001 Virtual 7.1-Channel USB External Sound Card plugs into your computer or laptop's USB port to provide easy-to-access audio-in and audio-out ports. A convenient, inexpensive replacement for a damaged sound card or audio connectors, the U237-001 lets you plug a microphone, speakers and/or headphones into its 3.5 mm audio jacks and enjoy rich, vibrant sound. By installing the Xear[™] 3D Virtual 7.1-Channel Surround Sound software (included), you'll be able to customize the audio settings. In addition to the two audio ports, the U237-001 features volume controls, microphone and speaker muting buttons, and LEDs that indicate audio status, activity and microphone/speaker mute. It's plug-and-play, with the USB audio driver automatically installing upon connection to a USB port. Compatible with Windows® 2000[™] and later, Mac OS X® and Linux. Xear 3D software compatible with Windows XP, 7 and 8[™].

Features

Adds an External Sound Card to Your Computer's USB PortDual 3.5 mm audio jacks for connecting microphone, speakers and/or headphonesInexpensive replacement for damaged sound card or audio connectorsEasy-access volume controlsMicrophone/speaker muting buttonsLEDs indicate status, activity and mute

Xear 3D Virtual 7.1-Channel Surround Sound SoftwareCustomizable audio settingsSupports 3D and virtual 7.1-channel surround soundPreset sound effects with 10-band equalizerSoftware compatible with Windows XP, 7 and 8

Easy to UsePlug and play—no external power supply requiredUSB driver automatically installs upon connectionUnit compatible with Windows 2000 and later, Mac OS X and Linux

Specifications

OVERVIEW UPC Code 037332192745

Highlights

- Customizable audio settings via included CD software
- Supports 3D and virtual 7.1channel surround sound
- LEDs indicate status, activity and speaker/microphone mute
- Plug and play—no external power supply required
- Compatible with Windows, Mac and Linux

System Requirements

- Available USB-A port
- 3.5 mm stereo speakers, headphones and/or microphone
- Windows 2000 and later, Mac OS X or Linux
- Windows XP, 7 and 8 (Xear 3D software)

Package Includes

- U237-001 USB External Sound Card
- Xear 3D software CD
- Quick Start Guide



| AUDIO | Stereo Audio; USB 2.0 (High Speed) 7.1 Channel Surround Sound | |
|-----------------------------------|---|--|
| | 7.1 Channel Surround Sound | |
| Audio Specification | 7.1 Channel Surround Sound | |
| | | |
| INPUT | | |
| - | Yes | |
| bus Powered | | |
| POWER | | |
| Power Consumption (Watts) | 0.5 | |
| USER INTERFACE, ALERTS & CONTROLS | | |
| LED Indicators | Red (Speaker/Mic Mute), Green (Active) | |
| PHYSICAL | | |
| Color | Black | |
| Material of Construction | PVC | |
| Shipping Dimensions (hwd / in.) | 5.80 x 2.17 x 4.20 | |
| Shipping Dimensions (hwd / cm) | 14.73 x 5.51 x 10.67 | |
| Shipping Weight (lbs.) | 0.10 | |
| Shipping Weight (kg) | 0.05 | |
| Unit Dimensions (hwd / in.) | 0.000 x 0.000 x 0.000 | |
| Unit Packaging Type | Clamshell | |
| Unit Weight (lbs.) | 0.02 | |
| Unit Weight (kg) | 0.01 | |
| ENVIRONMENTAL | | |
| Operating Temperature Range | 32 to 104 F (0 to 40 C) | |
| Storage Temperature Range | 14 to 131 F (-10 to 55 C) | |
| Relative Humidity | 5% to 90% RH, Non-Condensing | |
| BTUs | 1.7 BTU/Hr | |
| CONNECTIONS | | |
| Number of Ports | 2 | |
| Side A - Connector 1 | USB A (MALE) | |
| Side B - Connector 1 | (2) 3.5MM (FEMALE) | |
| Connector Plating | Nickel | |



| FEATURES & SPECIFICATIONS | | |
|--|---|--|
| USB Specification | USB 2.0 (up to 480 Mbps) | |
| Driver Required | No | |
| | | |
| STANDARDS & COMPLIANCE | | |
| Product Compliance | RoHS; CE (Europe); REACH; WEEE; FCC (USA) | |
| | | |
| WARRANTY & SUPPORT | | |
| Product Warranty Period (Worldwide) | 1-year limited warranty | |



© 2023 Eaton. All Rights Reserved. Eaton is a registered trademark. All other trademarks are the property of their respective owners.