## Viewsonic PA503X data projector Standard throw projector 3600 ANSI lumens DLP XGA (1024x768) Grey, White

Brand: Viewsonic Product code: PA503X

**Product name:** PA503X

 $1024 \times 768$ , DLP, 3600 ANSI lum, 30-300", 190 W, 4:3, Mini USB B, RS-232, RCA, 3.5mm, HDMI 1.4, VGA,  $2\times$  RGB, 2 W RMS,  $294\times218\times110$  mm

Viewsonic PA503X. Projector brightness: 3600 ANSI lumens, Projection technology: DLP, Projector native resolution: XGA (1024x768). Light source type: Lamp, Service life of light source: 4500 h, Service life of light source (economic mode): 15000 h. Focus: Manual, Zoom type: Manual, Optical zoom: 1.1x. Analog signal format system: NTSC, PAL, PAL 60, SECAM, Supported graphics resolutions:  $640 \times 480$  (VGA),  $720 \times 480$ ,  $720 \times 576$ ,  $800 \times 600$  (SVGA),  $1024 \times 768$  (XGA),  $1280 \times 1024$  (SXGA),..., Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size



Projector		Network	
Projection distance 1.1 - 13 m  Contrast ratio (dynamic) 22000:1  Projector brightness * 3600 ANSI lumens  Projection technology * DLP  Projector native resolution * XGA (1024x768)  Native aspect ratio * 4:3  Number of colours 1.073 billion colours		Ethernet LAN *	×
		Wi-Fi *	×
		Storage	
	DLP XGA (1024x768) 4:3	Card reader integrated *	x
		Features	
		Certification	FCC (ICES-003), cTUVus
		Multimedia	
Vertical scan range	23 - 120 Hz	Built-in speaker(s) *	<b>✓</b>
Keystone correction, vertical	-40 - 40°	RMS rated power	2 W
Matrix size	1.4 cm (0.55")	Number of built-in speakers	1
Matrix type	DMD	Design	
Light source		Product type *	Standard throw projector
Light source type *	Lamp	Product colour *	Grey, White
Service life of light source * Service life of light source	4500 h	Placement	Desktop
(economic mode)	15000 h	Cable lock slot	<b>√</b>
Lamp power	190 W	Cable lock slot type	Kensington
Lamps quantity	1 lamp(s)	Display	
Lens system		Built-in display *	×
Focus *	Manual	Power	
Zoom capability	<b>✓</b>	Power source *	AC
Zoom type	Manual	Power consumption (typical) *	260 W
Optical zoom	1.1x	Power consumption (standby) *	0.5 W
Throw ratio	1.96 - 2.15:1	AC input voltage  AC input frequency	100 - 240 V 50 - 60 Hz
Video			30 - 00 HZ
Analog signal format system *	NTSC, PAL, PAL 60, SECAM	Operational conditions	
3D Ready	<b>✓</b>	Operating temperature (T-T)	0 - 40 °C
Supported graphics resolutions	640 x 480 (VGA), 720 x 480, 720 x 576, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1360 x 768 (WXGA), 1366 x 768, 1400 x 1050 (SXGA+), 1440 x 900	Operating relative humidity (H-H) Operating altitude	10 - 90% 0 - 1499 m
		Weight & dimensions	5 2.55
		Width	294 mm
		Depth	218 mm
	(WXGA+), 1920 x 1200 (WUXGA)	Height	110 mm
		- 5	

Video		Weight & dimensions	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Weight * Package width	2.2 kg 365 mm
Ports & interfaces		Package depth	188 mm
HDMI connector type HDMI version	Full-size 1.4	Package height Package weight	300 mm 6.24 kg
Serial interface type *	RS-232	Packaging content	
PC Audio in	✓	Remote control included *	✓
PC Audio out	✓	Cables included	AC, VGA
VGA (D-Sub) ports quantity *	3	Quick start guide	✓
HDMI ports quantity * Composite video in *	1	Logistics data	
DVI port *	×	Harmonized System (HS) code	85286200
AC (power) in	✓	Other features	
		RS-232 ports	1





766907905113

0766907905113

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.