



## TP-Link Archer AX80 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Black

**Brand :** TP-Link

**Product family:** Archer

**Product code:** ARCHER AX80

**Product name :** AX80

AX6000 8-Stream Wi-Fi 6 Router with 2.5G Port

TP-Link Archer AX80. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 5952 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 1000,2500 Mbit/s, VPN server: OpenVPN,PPTP ,L2TP. Security algorithms: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3. Product type: Tabletop router, Product colour: Black



WAN connection		Ports & interfaces	
Ethernet WAN *	✓	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
DSL WAN *	✗	<b>Management features</b>	
SIM card slot *	✗	Quality of Service (QoS) support	✓
3G/4G USB modem compatibility *	✗	Reset button	✓
WAN connection type	RJ-45	WPS push button	✓
Wireless LAN features		Security	
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Security algorithms	WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Firewall	✓
WLAN data transfer rate (max) *	5952 Mbit/s	DMZ support	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	<b>Protocols</b>	
WLAN data transfer rate (first band)	1148 Mbit/s	DHCP client	✓
WLAN data transfer rate (second band)	4804 Mbit/s	DHCP server	✓
<b>Network</b>		Universal Plug and Play (UPnP)	✓
Ethernet LAN *	✓	<b>Design</b>	
Ethernet LAN interface type *	Gigabit Ethernet	Product colour	Black
Ethernet LAN data rates	1000,2500 Mbit/s	On/off switch	✓
Port forwarding	✓	Product type *	Tabletop router
Port triggering	✓	<b>Packaging content</b>	
Number of guest networks (2.4 GHz)	1	Cables included	LAN (RJ-45)
Number of guest networks (5 GHz)	1	Quick installation guide	✓
Support Samba (storage)	✓	<b>Antenna</b>	
Built-in FTP server	✓	Antenna design *	Internal
VPN server	OpenVPN,PPTP ,L2TP	Antennas quantity	4
Media server	✓		

Ports & interfaces		Power	
Ethernet LAN (RJ-45) ports *	5	Power source type *	DC
USB port *	✓	Output voltage	12 V
		Output current	2 A
		Weight & dimensions	
		Width	200 mm
		Depth	189 mm
		Height	59 mm

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.