



## Canon imageFORMULA CR-150 ADF scanner 200 x 200 DPI Graphite

**Brand :** Canon

**Product family:**  
imageFORMULA

**Product code:** 1721C001



**Product name :** CR-150

CMOS CIS, 150cpm, 200/300/600dpi, USB Type-B, 2x USB type-A, 23W

Canon imageFORMULA CR-150. Maximum scan size: 108 x 245 mm, Optical scanning resolution: 200 x 200 DPI, Enhanced scan resolution: 300 x 300 DPI. Scanner type: ADF scanner, Product colour: Graphite. Sensor type: CMOS CIS, Daily duty cycle (max): 12000 pages, Light source: RGB LED. Auto document feeder (ADF) input capacity: 150 sheets. Media thickness (min): 0.08 mm, Auto Document Feeder (ADF) media weight: 64 - 157 g/m<sup>2</sup>, Maximum scan width: 24.5 cm

Scanning		Paper handling	
Maximum scan size *	108 x 245 mm	Maximum scan width	24.5 cm
Optical scanning resolution *	200 x 200 DPI	Maximum scan length	24.5 cm
Enhanced scan resolution	300 x 300 DPI	<b>Ports &amp; interfaces</b>	
Colour scanning	✓	USB port *	✓
Duplex scanning *	✓	USB version	2.0
Input colour depth	24 bit	USB connector type	USB Type-A, USB Type-B
Greyscale levels	256	<b>Power</b>	
ADF scan speed (b/w, A4)	150 ppm	Power supply type *	AC
ID card resolutions	600 x 600 DPI	Power consumption (typical)	23 W
Black/white scanning colour modes	Grayscale	Sleep mode	✓
<b>Design</b>		Input voltage	220 - 240 V
Scanner type *	ADF scanner	Power consumption (sleep)	2.1 W
Product colour *	Graphite	<b>Weight &amp; dimensions</b>	
Built-in display *	✗	Width	170 mm
<b>Performance</b>		Depth	239 mm
Sensor type *	CMOS CIS	Height	204 mm
Light source	RGB LED	Weight	3.5 kg
Daily duty cycle (max) *	12000 pages	<b>Packaging data</b>	
Built-in OCR	✓	Quantity per pack	1 pc(s)
Scan to	PC	<b>Packaging content</b>	
Scan drivers	ISIS, TWAIN	Cables included	AC
Ultrasonic sensor	✓	<b>System requirements</b>	
<b>Input capacity</b>		Windows operating systems supported	Windows 10, Windows 7, Windows 8.1, Windows Vista
Auto document feeder (ADF) input capacity	150 sheets	Server operating systems supported	Windows Server 2008 R2
<b>Paper handling</b>		<b>Operational conditions</b>	
Long-paper mode	✓	Operating temperature (T-T)	10 - 32.5 °C
Media thickness (min)	0.08 mm	Operating relative humidity (H-H)	20 - 80%
Auto Document Feeder (ADF) media weight	64 - 157 g/m <sup>2</sup>		

## Other features

Certification

RoHS, Energy Star



0013803282863



013803282863

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.