



TP-Link Tapo C216 Box IP security camera Indoor 2304 x 1296 pixels Ceiling/Wall/Desk

Brand : TP-Link

Product family: Tapo

Product code: TAPO C216

Product name : C216

1/3" Progressive Scan CMOS Starlight Sensor, 850 nm IR LED (40 ft / 12 m), Color Night Vision, IR-Cut Filter with Auto-Switching, 2304 x 1296 px, 30 fps, H.264, IP65
TP-Link Tapo C216. Type: IP security camera, Placement supported: Indoor, Connectivity technology: Wired & Wireless. Mounting type: Ceiling/Wall/Desk, Product colour: White, Form factor: Box. Lens viewing angle, horizontal: 73.5°, Lens viewing angle, vertical: 41°, Lens viewing angle, diagonal: 85°. Sensor type: CMOS, Optical sensor size: 25.4 / 3 mm (1 / 3"). Fixed focal length: 4 mm



Performance		Network	
Type *	IP security camera	Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Placement supported *	Indoor	Supported network protocols	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP
Connectivity technology *	Wired & Wireless	Wi-Fi *	✓
PTZ control	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Virtual assistant	Amazon Alexa & Google Assistant	Bluetooth *	✗
Day/night mode	✓	Live view	✓
Infrared (IR) cut-off filter	✓		
Design		Storage	
Form factor *	Box	Built-in HDD *	✗
Mounting type *	Ceiling/Wall/Desk	Card reader integrated	✓
Product colour *	White	Compatible memory cards	MicroSD (TransFlash)
LED indicators	✓	Maximum memory card size	512 GB
International Protection (IP) code	IP65		
Camera		Ports & interfaces	
Lens viewing angle, horizontal	73.5°	USB port	✓
Lens viewing angle, vertical	41°	DC-in jack	✓
Lens viewing angle, diagonal	85°		
Image sensor		Security	
Number of sensors	1	Security algorithms	128-bit AES, SSL/TLS, WPA, WPA2-PSK
Optical sensor size	25.4 / 3 mm (1 / 3")		
Sensor type *	CMOS		
Lens system		Management features	
		Cloud-managed *	✓
		Reset button	✓

Lens system		Power	
Maximum aperture number	2	Power source type *	DC
Fixed focal length	4 mm	AC input voltage	100 - 240 V
Night vision		AC input frequency	50/60 Hz
Night vision *	✓	Power consumption (typical)	2.3 W
Night vision distance	12 m	Power consumption (max)	5 W
LED type	IR	DC output voltage	5
Infra-red wavelength	850 nm	DC output current	1 A
Video		Operational conditions	
Maximum resolution *	2304 x 1296 pixels	Operating temperature (T-T)	-20 - 50 °C
Video formats supported	H.264	Storage temperature (T-T)	-40 - 60 °C
Supported graphics resolutions	2304 x 1296	Operating relative humidity (H-H)	10 - 90%
Frame rate	30 fps	Storage relative humidity (H-H)	0 - 90%
Audio		Weight & dimensions	
Built-in speaker(s)	✓	Width	105.3 mm
Audio system	2-way	Depth	77.8 mm
Built-in microphone	✓	Height	69.8 mm
Network		Weight	220 g
Ethernet LAN *	✓	Cable length	2 m
Ethernet interface type	Fast Ethernet	Packaging data	
		Package type	Box
		Packaging content	
		Number of cameras *	1



8885020629392



8885020629378

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.