## Viewsonic VG Series VG2457V computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black

Brand : Viewsonic Product family: VG Series Product code: VG2457V

**Product name:** VG2457V

Viewsonic VG Series VG2457V. Display diagonal: 60.5 cm (23.8"), Display resolution:  $1920 \times 1080$  pixels, HD type: Full HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^\circ$ , Viewing angle, vertical:  $178^\circ$ . Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black





Display		Ports & interfaces	
Display diagonal * Display resolution * Display technology * Display te	1920 x 1080 pixels Full HD	DisplayPort out quantity Headphone out * Headphone connectivity	1 ✓ 3.5 mm
	LCD IPS	Ergonomics  VESA mounting *  Panel mounting interface  Cable lock slot *  Cable lock slot type  Height adjustment *  Adjustable height (max)  Pivot  Tilt adjustment	100 x 100 mm  Kensington  11 cm
Maximum refresh rate *	100 Hz	Power	
Viewing angle, horizontal Viewing angle, vertical Digital horizontal frequency Digital vertical frequency Surface hardness Colour depth	178° 178° 15 - 110 kHz 50 - 100 Hz 3H 8 bit	Power consumption (typical) * Power consumption (standby) * Power consumption (max) AC input voltage AC input frequency	124.4 W 0.5 W 167.8 W 100 - 240 V 50/60 Hz
Performance		Operational conditions	
NVIDIA G-SYNC * AMD FreeSync *	x x	Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 20 - 90%
Multimedia		Weight & dimensions	
Number of speakers RMS rated power Built-in speaker(s) *	2 10 W	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand)	539 mm 202.2 mm 511.8 mm 4.6 kg

Multimedia		Weight & dimensions	
Built-in camera *	✓	Width (without stand)	539 mm
Design		Depth (without stand) 55.8 mm Height (without stand) 349 mm Weight (without stand) 6.9 kg	55.8 mm
Product colour *	Black		
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	606 mm
USB upstream port type	USB Type-C	Package depth	210 mm
USB Type-A downstream ports quantity	2	Package height	411 mm
USB Power Delivery (USB PD)	✓	Package weight	9.7 kg
HDMI *	<b>√</b>	Packaging content	
HDMI ports quantity	1	Cables included	AC, HDMI, USB Type-C
HDMI version	1.4	Quick start guide	✓
DisplayPorts quantity	1	Other features	
		RJ-45 ports quantity	1





766907024340

0766907024340

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.