



Viewsonic VG Series VG2757V-2K computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LED Black

Brand : Viewsonic

Product family: VG Series

Product code: VG2757V-2K


Product name : VG2757V-2K

- Instant, secure access to your digital workspace using Windows Hello
 - Crystal-clear video with a built-in Zoom® Certified 5MP pop-up camera with LED fill lights, microphone, and 5W speakers
 - Integrated docking station with Ethernet, Daisy Chain capability, and dual USB-C ports for seamless connectivity
 - 15W quick charging for mobile devices via USB-C connection
 - Flicker-free, low blue light screen with Eye ProTech+ for always-on eye protection
- 27", QHD 2560 x 1440, 100Hz, IPS, 350 cd/m², Eye ProTech+, 5 Mpix
Viewsonic VG Series VG2757V-2K. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Headphone connectivity	3.5 mm
Display resolution *	2560 x 1440 pixels	Network	
HD type *	Quad HD	Ethernet LAN	✓
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LED	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Display brightness (peak)	350 cd/m ²	Height adjustment *	✓
Response time *	5 ms	Adjustable height (max)	11 cm
Anti-glare screen	✓	Pivot	✓
Screen shape *	Flat	Pivot angle	90 - 90°
Supported graphics resolutions	2560 x 1440	Swivelling	✓
Contrast ratio (typical) *	1300:1	Swivel angle range	0 - 120°
Contrast ratio (dynamic)	80000000:1	Tilt adjustment	✓
Maximum refresh rate *	100 Hz	Tilt angle range	-5 - 40°
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	E
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	22 kWh
Response time (fast)	5 ms	Power consumption (typical) *	29.77 W
Pixel pitch	0.233 x 0.233 mm	Power consumption (standby) *	0.5 W
Horizontal scan range	15 - 150 kHz	Power consumption (max)	34.29 W
Vertical scan range	50 - 100 Hz	AC input voltage	100 - 240 V
Display diagonal (metric)	69 cm	Power supply type	Internal
Surface hardness	3H	Energy efficiency scale	A to G
Colour depth	8 bit	Operational conditions	
Colour gamut standard	NTSC	Operating temperature (T-T)	0 - 40 °C
Colour gamut	76%	Operating relative humidity (H-H)	20 - 90%
sRGB coverage (typical)	100%		
NTSC coverage (typical)	76%		

Performance		Weight & dimensions	
Low Blue Light technology	✓	Width (with stand)	612.7 mm
Multimedia		Depth (with stand)	217.2 mm
Number of speakers	2	Height (with stand)	533.4 mm
RMS rated power	5 W	Weight (with stand)	8 kg
Built-in speaker(s) *	✓	Width (without stand)	612.7 mm
Megapixel (approx.)	5 MP	Depth (without stand)	56.9 mm
Built-in microphone	✓	Height (without stand)	390.1 mm
Built-in camera *	✓	Weight (without stand)	5.5 kg
Design		Packaging data	
Product colour *	Black	Package width	705 mm
Feet colour	Black	Package depth	250 mm
Ports & interfaces		Package height	475 mm
Built-in USB hub *	✓	Package weight	11.5 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging content	
USB upstream port type	USB Type-C	Cables included	HDMI, USB Type-C, USB Type-C to USB Type-A
Number of upstream ports	1	Quick start guide	✓
USB Type-A downstream ports quantity	1	Sustainability	
USB Type-C downstream ports quantity	1	Sustainability certificates	ENERGY STAR, ErP, TCO
USB Type-C DisplayPort Alternate Mode	✓	Other features	
HDMI *	✓	Weight	8.35 kg
HDMI ports quantity	1	Warranty period	5 year(s)
HDMI version	2.0	Compliance certificates	BIS, BSMI, CE, EAC, REACH, RoHS, WEEE, cTUVus
DisplayPorts quantity	1	Logistics data	
DisplayPort out quantity	1	Products per master (outer) case	1 pc(s)
Headphone out *	✓	Pallet gross width	120 cm
		Pallet gross length	100 cm
		Pallet gross height	2.02 m
		Harmonized System (HS) code	8528521000



0766907024357



766907024357

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.