Viewsonic IFP 65IN 4K ANDROID 16 EDLA 64 interactive whiteboard 165.1 cm (65") 3840 x 2160 pixels Touchscreen

Brand : Viewsonic

Product code: IFP6535-1-1C

Product name : IFP 65IN 4K ANDROID 16 EDLA 64

ViewBoard IFP6535-1 EDLA-certified 65" display with energy-saving motion sensor

Viewsonic IFP 65IN 4K ANDROID 16 EDLA 64 interactive whiteboard 165.1 cm (65") 3840 x 2160 pixels Touchscreen:

The first Android 16 interactive display features EDLA certification and a powerful octa-core CPU. Built-in ViewSonic Education Software supports dynamic learning and enriched classroom experiences. 64-point advanced touch recognition and palm rejection enhances interactivity and collaboration. USB-C with 65W power delivery simplifies display, audio, touch, and network connectivity. Light and motion sensors automatically adjust brightness for better energy efficiency and panel lifespan.

Viewsonic IFP 65IN 4K ANDROID 16 EDLA 64. Display diagonal: 165.1 cm (65"), Display brightness: 450 cd/m², Display number of colours: 1.07 billion colours. Operating system installed: Android, Maximum internal memory: 128 GB, RAM capacity: 8 GB. Speaker power: 20 W. Power consumption (max): 69.56 W, Power consumption (off): 0.5 W. Width: 1488 mm, Height: 896.3 mm, Depth: 896.3 mm

Display

Display diagonal *	165.1 cm (65")
Display brightness	450 cd/m²
Display number of colours	1.07 billion colours
Display resolution	3840 x 2160 pixels
Anti-glare screen	✔
Panel type	TFT-LCD
LED backlight	✔
LED backlighting type	Direct-LED
Native aspect ratio	16:9
Contrast ratio (typical)	5000:1
Response time	6.5 ms
Touchscreen *	✔
Touch technology	Multi-touch
Touchscreen type	Infrared
Number of simultaneous touchpoints	64
Touch resolution	32767 x 32767 pixels
Hardness	9H
Palm rejection	✔

Computer system

Operating system installed	Android
Operating system version	16
Built-in processor	✔
Maximum internal memory	128 GB
RAM capacity	8 GB

Audio

Built-in speaker(s) *	✔
Number of built-in speakers	2
Speaker power	20 W
Built-in subwoofer	✘
Built-in microphone	✘

Ports & interfaces

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5
Interface module USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	2
USB Type-C ports quantity	2

Ergonomics

VESA mounting	✔
Wall mountable	✔

Performance

Ambient light sensor	✔
Proximity sensor	✔

Power

Power consumption (max)	69.56 W
Power consumption (off)	0.5 W

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%

Weight & dimensions

Width *	1488 mm
Depth	896.3 mm
Height *	896.3 mm
Weight	28.7 kg

Packaging data

Package width	1620 mm
Package depth	179 mm
Package height	1011 mm
Package weight	35.7 kg

Sustainability

Sustainability certificates	EPEAT Silver
Compliance certificates	BSMI, Federal Communications Commission (FCC), cTUVus, WEEE, EAC, CB

Camera			Certificates	
Built-in camera	✗		Waste Electrical and Electronic Equipment (WEEE) compliance	✔
Projector			**Other features**	
Built-in projector *	✗		Warranty period	5 year(s)

0766907038859

766907038859

Catalog Object Cloud