



HP OfficeJet Pro Color Printer

Brand : HP

Product code: C2WH0A

Product name : OfficeJet Pro Color Printer

OfficeJet Pro 9730 Wide Format All-in-One Printer

HP OfficeJet Pro Color Printer:

Print like you mean business. Say hello to the wide format professional colour inkjet printer for your growing business from the World's #1 Printer Company, paired with the easiest-to-use print app. Print and scan up to A3 with extra performance features.^[1,2] HP Instant Ink eligible


Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.




Printing		Performance	
Duplex printing mode	Auto	Internal memory *	512 MB
Print resolution black	1200 x 1200 DPI	Built-in processor	✓
Print technology *	Thermal inkjet	Processor frequency	1200 MHz
Printing *	Colour printing	Sound power level (printing)	6.8 dB
Duplex printing *	✓	Design	
Maximum resolution *	4800 x 1200 DPI	Product colour *	Grey
Print speed (black, normal quality, A4/US Letter) *	22 ppm	Colour name	Cement
Print speed (colour, normal quality, A4/US Letter)	18 ppm	Built-in display *	✓
Print speed (black, draft quality, A4/US Letter)	34 ppm	Display	LCD
Print speed (colour, draft quality, A4/US Letter)	34 ppm	Display diagonal	10.9 cm (4.3")
Print speed (ISO/IEC 24734) black	22 ppm	Control type	Touch
Print speed (ISO/IEC 24734) colour	18 ppm	Colour display	✓
Time to first page (black, normal)	12 s	Power	
Time to first page (colour, normal)	13 s	Power consumption (standby)	5.4 W
Watermark printing	✓	Power consumption (sleep)	1.39 W
Booklet printing function	✓	Power consumption (off)	0.11 W
Borderless printing	✓	AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
Copying		Brand-specific features	
Copying *	Colour copying	HP Instant Ink	✓
Maximum number of copies	99 copies	HP Dynamic security	✓
Copier resize	25 - 400%		SSL/TLS (HTTPS); IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK); Firewall; certificates configuration; Control panel lock; Password protect EWS; Syslog; Signed firmware; Administrator settings
ID-card copy function	✓	HP Security tools	
Auto fit function	✓		
Scanning		HP GTIN (EAN/UPC)	199485545448
Duplex scanning *	✓		
Scanning *	Colour scanning		

Scanning		System requirements	
Optical scanning resolution *	1200 x 1200 DPI	Windows operating systems supported	Windows 10, Windows 11
Maximum scan area	297 x 432 mm	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Scanner type *	Flatbed & ADF scanner	Other operating systems supported	ChromeOS
Scan technology	CIS	Operational conditions	
Scan to	Software	Operating relative humidity (H-H)	20 - 80%
Image formats supported	BMP, JPEG, JPG, PNG, TIFF	Recommended humidity operating range	25 - 75%
Document formats supported	PDF, RTF	Recommended operating temperature range (T-T)	15 - 32 °C
Input colour depth	24 bit	Storage temperature (T-T)	-40 - 60 °C
Greyscale levels	256	Operating temperature (T-T)	5 - 40 °C
Scan drivers	TWAIN	Operating altitude	0 - 3000 m
Features		Non-operating altitude	0 - 4500 m
Recommended duty cycle	250 - 1500 pages per month	Certificates	
Maximum duty cycle *	30000 pages per month	Certification	CISPR 32:2015+A1:2019/EN 55032:2015+A11:2020 Class B; CISPR 24:2010+A1:2015/EN 55024:2010+A1:2015; CISPR 35:2016/EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013+A1:2019; FCC CFR 47, Part 15 Class B/ICES-003, Issue 7 Class B
Digital sender	✓	Sustainability	
Number of print cartridges *	4	Sustainability certificates	ENERGY STAR, EPEAT, Forest Stewardship Council (FSC)
Printing colours *	Black, Cyan, Magenta, Yellow	Sustainable technologies and materials	Recyclable through HP Planet Partners; FSC Certified Packaging; Contains ocean-bound recycled plastic; 30% post-consumer recycled plastic
Page description languages	PCL 3 GUI, PCL 3	Weight & dimensions	
All-In-One-multitasking	✓	Weight	19.5 kg
Country of origin	China	Packaging data	
Replacement cartridges	HP 936 Black Original Ink Cartridge (~1,250 pages) 4S6V2LN, HP 936 Cyan Original Ink Cartridge (~800 pages) 4S6U9LN; HP 936 Magenta Original Ink Cartridge (~800 pages) 4S6V0LN; HP 936 Yellow Original Ink Cartridge (~800 pages) 4S6V1LN. HP EvoMore planned to be available April 2024: HP 936e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6V6LN; HP 936e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6V3LN; HP 936e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6V4LN; HP 936e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6V5LN. Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutsupplies	Package width	668 mm
HP segment	Small medium business	Package depth	545 mm
Input & output capacity		Package height	487 mm
Total number of input trays *	2	Package weight	24.4 kg
Total input capacity *	500 sheets	Packaging content	
Total output capacity *	75 sheets	Cartridge(s) included	✓
Auto document feeder (ADF)	✓	Included cartridge capacity (black)	800 pages
Auto document feeder (ADF) input capacity	35 sheets	Included cartridge capacity (CMY)	420 pages
Maximum number of input trays	2	Bundled software	HP Printer Software
Maximum input capacity	500 sheets	Logistics data	
Paper handling		Pallet gross weight	261 kg
Maximum ISO A-series paper size *	A3	Layers per pallet	5 pc(s)
Paper tray media types *	Plain paper, Glossy paper, Photo paper, Matte paper, Lightweight paper	Products per pallet	10 pc(s)
ISO A-series sizes (A0...A9) *	A3, A4, A5, A6	Technical details	
ISO C-series sizes (C0...C9)	C5, C6	Box contents	HP OfficeJet Pro 9730 WF AiO Printer; HP 936 Setup Black Ink Cartridge (~800 pages); HP 936 Setup Cyan Ink Cartridge (~420 pages); HP 936 Setup Magenta Ink Cartridge (~420 pages); HP 936 Setup Yellow Ink Cartridge (~420 pages); Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide; [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]
JIS B-series sizes (B0...B9)	B5	Master (outer) cases per pallet layer	2 pc(s)
Envelopes sizes	C5, C6, DL		
Custom media width	76 - 297 mm		
Custom media length	127 - 420 mm		
Paper tray media weight	34 - 250 g/m ²		
Envelope feeder	No		
Ports & interfaces			
Direct printing *	✓		
USB port	✓		

Ports & interfaces		Other features	
USB 2.0 ports quantity	2	Number of users	5 user(s)
Network		Custom media sizes	Tray 1: 76 x 127 to 297 x 420 mm; Tray 2: 210 x 297 to 297 x 420 mm
Wi-Fi *	✓	Pallet dimensions (W x D x H)	1220 x 1015 x 2562 mm
Ethernet LAN *	✓	Power supply type	Internal (Built-in) Universal Power Supply
Wi-Fi standards	Wi-Fi 5 (802.11ac), Wi-Fi 4 (802.11n), 802.11g, 802.11b, 802.11a	Recommended system requirements	Microsoft Windows 11; 10; 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer or Edge. Apple macOS v11 Big Sur; macOS v12 Monterey; macOS v13 Ventura; 2 GB HD; Internet required.
Wi-Fi Direct	✓	Compatible operating systems	Windows 11; Windows 10; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; Linux; Chrome OS
Bluetooth	✓	Pallet dimensions (W x D x H) (imperial)	1219.2 x 1016 x 2565.4 mm (48 x 40 x 101")
Security algorithms	SSL/TLS, HTTPS	UNSPSC-code	43212110
Mobile printing technologies	Mopria Print Service, Apple AirPrint	Processor frequency	1.2 GHz
Performance		Number of print heads	4
Maximum internal memory	512 MB	Manufacturer warranty	Standard one-year HP commercial hardware warranty. Three-year HP commercial hardware warranty after registration within 60 days of purchase (see www.hp.com/eu/3yearwarranty). Warranty and support options vary by product, country and local legal requirements.
		Electromagnetic compatibility	CISPR 32:2015+A1:2019/EN 55032:2015+A11:2020 Class B; CISPR 24:2010+A1:2015/EN 55024:2010+A1:2015; CISPR 35:2016/EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-2:2014; EN 61000-3-3:2013+A1:2019; FCC CFR 47, Part 15 Class B/ICES-003, Issue 7 Class B



0199485545448



199485545448

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.