Canon

Canon i-SENSYS MF3010 Laser A4 1200 x 600 DPI 18 ppm

Brand : Canon Product family: i-SENSYS Product code: 5252B037

Product name: MF3010

- 3-in-1 mono laser home office printer
- A4, print, copy, scan
- USB Connectivity

600 x 400 dpi, Laser, A4, USB 2.0, 60~163g/m², 8.2 kg, 960W

Canon i-SENSYS MF3010. Print technology: Laser, Printing: Mono printing, Maximum resolution: 1200×600 DPI. Copying: Mono copying, Maximum copy resolution: 600×600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600×600 DPI. Maximum ISO A-series paper size: A4. Product colour: Black







| Printing | | Paper handling | |
|--|---|--|--|
| Duplex printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) * | Laser Mono printing X 1200 x 600 DPI 18 ppm | ISO B-series sizes (B0B9) Non-ISO print media sizes Envelopes sizes Custom media width Custom media length Paper tray media weight | B5 Executive, Statement 10, B5, C5, DL 76 - 216 mm 127 - 356 mm 60 - 163 g/m ² |
| Warm-up time Time to first page (black, normal) | 10 s 7.8 s | Ports & interfaces | |
| Print margins (top, bottom, right, left) Economical printing | 5 mm | Standard interfaces USB port USB 2.0 ports quantity | USB 2.0 ✓ 1 |
| Copying | | Network | |
| Duplex copying * Copying * Maximum copy resolution * | Mono copying 600 x 600 DPI | Wi-Fi * Ethernet LAN * | × |
| | | Performance | |
| Copy speed (black, normal quality, A4) Time to first copy (black, normal) Maximum number of copies Copier resize | 18 cpm 12 s 9 copies 50 - 200% | Card reader integrated Internal memory * Sound pressure level (printing) Sound power level (standby) | X 64 MB 65.3 dB 43 dB |
| N-in-1 copy function (N=) | 2 | Design | |
| Scanning Duplex scanning * | × | Product colour * Market positioning * | Black Home & office |
| Scanning * | Colour scanning | Power | |
| Optical scanning resolution * Maximum scan resolution Scanner type * | 600 x 600 DPI 9600 x 9600 DPI Flatbed scanner | Power consumption (max) Power consumption (average operating) | 960 W 450 W |
| Input colour depth | 24 bit | Power consumption (PowerSave) | 450 W |
| Output colour depth | 24 bit | Power consumption (standby) | 1.4 W |
| Greyscale levels Scan drivers | 256 TWAIN, WIA | Energy Star Typical Electricity Consumption (TEC) | 0.6 kWh/week |

| Fax | | System requirements | |
|--|--|---|--|
| Duplex faxing Faxing * | × | | Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic, |
| Features | | | |
| Maximum duty cycle * Digital sender Number of print cartridges * Printing colours * Page description languages | 8000 pages per month X 1 Black UFRII-LT | Windows operating systems | |
| Input & output capacity | | supported | |
| Total input capacity * Total output capacity * | 150 sheets 100 sheets | , | |
| Paper handling | | | Windows Vista Home Premium, Windows Vista Home Premium x64. |
| Maximum ISO A-series paper size * Maximum print size Paper tray media types * | A4 216 x 356 mm Card stock, Coated paper, Envelopes, Labels, Plain paper, | | Windows Vista Home Premium Xo4, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64 |
| | Recycled paper, Transparencies A4, A5 | Mac operating systems supported | Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion |
| | | Linux operating systems supported | ✓ |
| | | Operational conditions | |
| | | Operating relative humidity (H-H) Operating temperature (T-T) | 20 - 80% 10 - 30 °C |
| | | Sustainability | |
| | | Sustainability certificates | ENERGY STAR |
| | | Weight & dimensions | |
| | | Width Depth Height Weight | 372 mm 276 mm 254 mm 8.2 kg |
| | | Packaging content | |
| | | User guide | ✓ |





013803352894

0013803352894

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.