ASUS ROG Strix Helios II GX601S Midi Tower Black

Brand: ASUS Product code: 90DC00W0-B39000

Product name: ROG Strix Helios II GX601S

ROG Strix Helios RGB ATX/EATX mid-tower gaming case with tempered glass, aluminum frame, GPU braces, 420mm radiator support and Aura Sync

ASUS ROG Strix Helios II GX601S. Form factor: Midi Tower, Type: PC, Product colour: Black. Front fans installed: 3x 140 mm, Front fans diameters supported: 120,140 mm, Rear fans installed: 1x 140 mm. Supported HDD sizes: 2.5,3.5". Width: 250 mm, Depth: 565 mm, Height: 591 mm. Package width: 705 mm, Package depth: 390 mm, Package height: 740 mm





Design		Cooling	
Design Material Form factor * Type * Product colour * Supported motherboard form factors * Number of 3.5" bays * Number of 2.5" bays	Aluminium, Tempered glass Midi Tower PC Black ATX, EATX, micro ATX, Mini-ITX 2	Front fans installed Number of front fans supported (max) Front fans diameters supported Rear fans installed Number of rear fans supported (max) Rear fans diameters supported	3x 140 mm 3 120,140 mm 1x 140 mm 1 120,140 mm
Number of internal 3.5" bays Number of expansion slots Side window Suitable for Illumination Illumination colour	2 8 ✓ Gaming ✓ Multi	Number of top fans supported (max) Top fans diameters supported Liquid cooling capability Front radiator sizes supported Rear radiator sizes supported Top radiator sizes supported	3 120,140 mm 120,140,240,280,360,420 mm 120,140 mm 120,140,240,280,360 mm
Illumination location Tempered glass panel(s) Anti-dust filter Cable management Reset button On/off button	Front ✓ ✓ ✓	Storage Supported HDD sizes * HDD/SSD combo cage Number of HDDs supported Weight & dimensions	2.5,3.5"
RGB control button Maximum CPU cooler height Maximum graphics card length	✓ 19 cm 45 cm	Width Depth Height Weight	250 mm 565 mm 591 mm 18 kg

Design		Packaging data	
Maximum PSU length	22 cm	Package width	705 mm
Power supply		Package depth	390 mm
Power supply included *	×	Package height	740 mm
		Package weight	21 kg
Ports & interfaces			
Audio input	✓		
Audio output	✓		
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4		
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1		





4711636061193

0199291061194



199291061194

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.